

COLE COUNTY DEPARTMENT OF PUBLIC WORKS



2018 CHIP SEAL PROGRAM  
PROJECT NO. 2018-502-1

BID DATE: May 4, 2018

BIDDING DOCUMENTS

# TABLE OF CONTENTS

	PAGE NO.
<b>SECTION 1</b>	
Advertisement for Bids	1-1
Notice to Bidders	1-3
<b>SECTION 2</b>	
Instructions to Bidders	2-1
<b>SECTION 3</b>	
Bid Proposal Form	3-1
Anti-Collusion Statement	3-7
Contractor's Affidavit	3-9
<b>SECTION 4</b>	
Construction Contract	4-1
Certificate of Insurance	4-7
Performance and One-Year Guarantee Bond	4-9
<b>SECTION 5</b>	
Current Prevailing Wage Rate	5-1
<b>SECTION 6</b>	
Job Special Provisions	6-1
<b>SECTION 7</b>	
General Special Provisions	7-1
<b>SECTION 8</b>	
Technical Specifications	8-1
<b>SECTION 9</b>	
Summary of Quantities	9-1
<b>SECTION 10</b>	
Location Maps	10-1

## ADVERTISEMENT FOR BIDS

### NOTICE TO BIDDERS

SEALED PROPOSALS for the Cole County Chip Seal Program, consisting of:

#### **2018 CHIP SEAL PROGRAM Project No. 2018-502-1**

WILL be received and opened publicly at the office of Cole County Commission, Courthouse Annex, Room 200, 311 East High Street, Jefferson City, Missouri 65101 at

**9:00 A.M. on Friday, May 4, 2018**

Any and all bids received after the time specified above will be returned unopened.

The proposed work includes placing a chip seal surface on existing chip sealed roads throughout the County.

Plans and specifications may be viewed online in the bids section at [www.colecounty.org](http://www.colecounty.org). All contractors wishing to bid on this project shall obtain an official copy of the plans and specifications at the office of the Cole County Department of Public Works, 5055 Monticello Road, Jefferson City, Missouri 65109-9182, (573) 636-3614.

A Pre-Bid Conference will be held on Thursday, April 26, 2018, at 9:00 A.M. at the Cole County Fire Protection District "Training & Administration Building" located at 5206 Monticello Road, Jefferson City, MO 65109. All bidders are urged to attend.

The Owner reserves the right to reject any and all bids and to waive informalities therein, to determine the lowest and best bid and to approve the bond. E.O.E.

News Tribune: 04/08/18; 04/15/18 and 04/22/18

(

(

(

## **NOTICE TO BIDDERS**

Sealed proposals will be received at the office of the Cole County Commission, Courthouse Annex, Room 200, 311 East High Street, Jefferson City, Missouri, 65101, until 9:00 A.M., **Friday, May 4, 2018**. The bids will be opened and read aloud at the Cole County Commission, Courthouse Annex, Room 200, 311 East High Street at 9:00 A.M. on that same day.

The proposed work includes placing a chip seal surface on existing chip sealed roads throughout the County.

### **2018 CHIP SEAL PROGRAM Project No. 2018-502-1**

All equipment, material, and workmanship must be in accordance with the plans, specifications, and contract documents on file with the Director of Cole County Public Works, 5055 Monticello Road, Jefferson City, Missouri 65109.

Plans and specifications may be viewed online at [www.colecounty.org](http://www.colecounty.org).

Plans and specifications may also be inspected and are available to bidders at the office of the Cole County Department of Public Works, 5055 Monticello Road, Jefferson City, Missouri 65109-9182, (573) 636-3614.

All contractors wishing to bid on this project shall obtain an official copy of the plans and specifications at the office of the Cole County Department of Public Works.

All wages paid for work under this contract shall comply with requirements of the prevailing wage law of the State of Missouri, Section 290.210 through 290.340, RSMo. 1986.

A certified check on a solvent bank or a bid bond by a satisfactory surety in an amount to five percent (5%) of the total amount of the bid must accompany each proposal.

A one-year Performance and Guarantee Bond is required.

The County reserves the right to reject any or all bids and to waive informalities therein to determine which is the lowest and best bid and to approve the bond.

COUNTY OF COLE

Larry J. Benz, P.E.  
Director of Public Works



## INSTRUCTIONS TO BIDDERS

### **2-1 Scope of Work**

The proposed work includes placing a chip seal surface on existing chip sealed roads throughout the County.

### **2-2 Inspection of Plans, Specifications, and Site of Work**

The bidder is required to examine carefully the site of the proposed work, the proposal, plans, specifications, supplemental specifications, special provisions, and contract forms before submitting a proposal.

### **2-3 Interpretation of Contract Documents**

If the bidder has any questions which arise concerning the true meaning or intent of the Plans, Specifications, or any part thereof, which affect the cost, quality, quantity, or character of the project, he shall request in writing that an interpretation be made and an addendum be issued by the Engineer, which shall then be delivered to all bidders to whom Plans and Specifications have been issued. Failure to have requested an addendum covering any questions affecting the interpretations of the Plans and Specifications shall not relieve the Contractor from delivering the completed project in accordance with the intent of the Plans and Specifications to provide a workable project.

### **2-4 Qualifications of Bidders**

The County of COLE may make such investigations as deemed necessary to determine the ability of the bidder to perform the work and the bidder shall furnish to the County of COLE all such information and data for this purpose as the County of COLE may request. The County of COLE reserves the right to reject any bid if the evidence submitted by the bidder or investigation of such bidder fails to satisfy the County of COLE that such bidder is properly qualified to carry out the obligations of the Contract and to complete the work contemplated therein.

### **2-5 Equivalent Material**

Wherever definite reference is made in these Specifications to the use of any particular material or equipment, it is to be understood that any equivalent material or equipment may be used which will perform adequately the duties imposed by the general design, subject to the approval of the Engineer.

### **2-6 Bid Security**

Each bid must be accompanied by a certified check or bid bond made payable to the County of COLE for five percent (5%) of the amount of the bid. Bid securities will be returned after award of contract except to the successful bidder.

Should the successful bidder or bidders fail or refuse to execute the bond and the contract

required within ten (10) days after he has received Notice of Acceptance of his bid, he shall forfeit to the County of COLE as liquidated damages for such failure or refusal, the security deposited with his bid.

## **2-7 Preparation of Bids**

Bid must be made upon prescribed forms attached at the back of these Specifications. Only sealed bids will be considered, all bids otherwise submitted will be rejected as irregular.

Do NOT include federal excise tax or sales and use taxes in the bid prices. This project will be a **SALES TAX EXEPMT** project. A copy of the federal tax exemption certificate will be furnished if required.

All blank spaces in the bid must be filled in and no change shall be made in the phraseology of the bid or addition to the items mentioned therein. Any conditions, limitation, or provisions attached to bids will render them informal and may be considered cause for their rejection.

## **2-8 Prices**

The price submitted for each item of the work shall include all cost of whatever nature involved in its construction, complete in place, as described in the Specifications.

## **2-9 Addenda**

Addenda may be issued on this project at any time up to 24 hours prior to the bid date and time. Occasionally an addendum may contain information that could affect a contractor's bid. It shall be the responsibility of the contractor to verify if any addenda have been issued prior to submitting their bid. The County assumes no liability if a contractor fails to incorporate addenda into their bid.

## **2-10 Approximate Quantities**

In cases where any part or all of the bidding is to be received on a unit price basis, the quantities stated in the bid will not be used in establishing final payment due the successful Contractor. The quantities stated on which unit prices are so invited are approximate only and each bidder shall make his own estimate from the plans of the quantities required on each item and calculate his unit price bid for each item accordingly. Bids will be compared on the basis of the number of units stated in the bid and awarded accordingly. Such estimated quantities, while made from the best information available, are approximate only. In addition, the estimated quantities are contingent on current budget projections and the County reserves the right to underrun or overrun as necessary.

Payment on the Contract will be based on the actual number of units installed on the completed work.

## **2-11 Lump Sum Items**

Payment for each lump sum item shall be at the lump sum bid for the item, complete in place, and shall include the costs of all labor, materials, tools, and equipment to construct the item as described herein and to the limits shown on the Plans.

## **2-12 Submission of Bids**

The Bid and the Bid Security guaranteeing the same shall be placed in a sealed opaque envelope and marked **2018 CHIP SEAL PROGRAM – PROJECT NO. 2018-502-1**. The envelope shall be clearly marked with the project name, project number, and the bidder's name and address.

## **2-13 Alternate Bids**

In making the award if alternate bids have been requested, that alternate bid will be used which will be to the best interest of the County of COLE.

## **2-14 Withdrawal of Bids**

If a bidder wishes to withdraw his bid, he may do so before the time fixed for the opening, without prejudice to himself. No bidder may withdraw his bid for a period of ninety (90) days after the scheduled closing time for the receipt of bids.

## **2-15 Right to Reject Bids**

The County of COLE reserves the right to reject any or all bids, to waive any informality in the bids received, or to accept the bid or bids that in its judgment will be for the best interest of the County of COLE.

## **2-16 Award of Contract**

If within ten (10) days after he has received Notice of Acceptance of his bid, the successful bidder or bidders shall refuse or neglect to come to the office of the Director of Public Works and to execute the Contract and to furnish the required Contractor's Bond, properly signed by the Contractor and the Surety or Sureties satisfactory to the County of COLE as hereinafter provided, the bidder or bidders shall be deemed to be in default and shall forfeit the deposit.

## **2-17 Performance Bond**

A Performance Bond in an amount equivalent to one hundred percent (100%) of the Contract price, must be furnished and executed by the successful bidder or bidders, this bond to be in the form contained in this Contract.

The Surety shall be a corporate Surety Company or companies of recognized standing licensed to do business in the State of Missouri and acceptable to the County of COLE.

## **2-18 Indemnification and Insurance**

The Contractor agrees to indemnify and hold harmless the County and the Engineer from all claims and suits for loss of or damage to property, including loss of all judgments recovered therefore, and from all expense in defending said claims, or suits, including court costs, attorney fees, and other expense caused by any act or omission of the Contractor and/or his subcontractors, their respective agents, servants, or employees.

### **Certificate of Insurance**

The Contractor shall be required to provide the County of COLE with a "Certificate of Insurance."

## **2-19 Bid Security Returned to Successful Bidder**

Upon the execution of the Contract and approval of Bond, the Bid Security will be returned to the bidder unless the same shall have been presented for collection prior to such time, in which case the amount of the deposit will be refunded by the County of COLE.

## **2-20 Nondiscrimination in Employment**

Contracts for work under this bid will obligate the Contractor and subcontractors not to discriminate in employment practices.

## **2-21 Prevailing Wage Law**

The principal contractor and all subcontractors shall pay not less than the prevailing wage hourly rate for each craft or type of workman required to execute this contract as determined by the Department of Labor and Industrial Relations of Missouri, pursuant to Sections 290.210 through 290.340, RSMo. 1986. (See Determination herewith included in Section 5.)

## **2-22 Guarantee**

The Contractor guarantees that the equipment, materials, and workmanship furnished under this contract will be as specified and will be free from defects for a period of one (1) year from the date of final acceptance. In addition, the equipment furnished by the Contractor shall be guaranteed to be free from defects in design.

Within the guarantee period and upon notification of the Contractor by the County, the Contractor shall promptly make all needed adjustments, repairs, or replacements arising out of defects which, in the judgment of the Engineer, or the County, become necessary during such period.

The cost of all materials, parts, labor, transportation, supervision, special tools, and supplies required for replacement of parts, repair of parts, or correction of abnormalities shall be paid by the Contractor, or by his surety under the terms of the Bond.

The Contractor also extends the terms of this guarantee to cover repaired parts and all

**Section Two:** All employees who have not previously completed this course must do so within sixty (60) days of beginning work on a Cole County construction project.

**Section Three:** Any employee found on a work site subject to this ordinance without documentation of successfully completing this course shall have twenty (20) days to produce such documentation before being subject to removal from the project.

## **2-26 Excessive Unemployment Law and Restrictive States**

Bidders are hereby notified that the excessive unemployment law is in effect. During times of high unemployment, state law permits the Department's Division of Labor Standards to declare that excessive unemployment is in effect, allowing only workers from certain states to work on the Missouri's public works projects. Public works projects are construction projects funded wholly or partially from public funds, or are projects that benefit the public such as but not limited to schools, parks, fire houses, and government buildings. The excessive unemployment law does not apply to projects funded in part by Federal Funds.

Restrictive states have laws in place restricting Missouri workers to work on their public works projects. Workers from these states are also not allowed to work on Missouri's public works projects.

Only Missouri laborers and laborers from nonrestrictive states are allowed by law to be employed on Missouri's public works projects when the unemployment rate exceeds **5 percent** for two consecutive months. **(See Sections 290.550 through 290.580 RSMo).**

**Restrictive States-** workers from these states are **NOT** allowed to be employed on Missouri public works projects: Alaska, Arizona, California, Colorado, Connecticut, Delaware, District of Columbia, Florida, Idaho, Illinois, Iowa, Maine, Massachusetts, Mississippi, Montana, Nevada, New Jersey, North Dakota, South Dakota, and the U.S. Virgin Islands, West Virginia and Wyoming.

**Non-Restrictive States-** workers from these states are allowed to be employed on Missouri public works projects: Alabama, Arkansas, Georgia, Hawaii, Indiana, Kansas, Kentucky, Louisiana, Maryland, Michigan, Minnesota, Nebraska, New Hampshire, New Mexico, New York, North Carolina, Ohio, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Utah, Vermont, Virginia, Washington and Wisconsin.

## **2-27 Contract Time**

This contract shall be a completion date contract. The contract shall be completed by no later than **August 31, 2018**.

## **2-28 Liquidated Damages**

Liquidated damages shall be assessed at the rate of **Seven Hundred Dollars (\$700.00)** per calendar day until the project is complete, should the project not be completed within the specified time period.

**PROPOSAL FORM**

**COUNTY OF COLE, MISSOURI**

**2018 CHIP SEAL PROGRAM  
Project No. 2018-502-1**

Name of Bidder: \_\_\_\_\_

Address of Bidder: \_\_\_\_\_

To: Cole County Department of Public Works  
5055 Monticello Road  
Jefferson City, MO 65109

**THE UNDERSIGNED BIDDER**, having examined the Plans, Specifications, Regulations of the Contract, Special Conditions and other proposed Contract Documents, and all addenda thereto; and being acquainted with and fully understanding (a) the extent and character of the work covered by this Proposal; (b) the location, arrangement, and specified requirements for the proposed work; (c) the location, character, and condition of existing streets, roads, highways, railroads, pavement, surfacing, walks, driveways, curbs, gutters, trees, sewers, utilities, drainage courses and structures, and other installation, both surface and underground which may affect or be affected by the proposed work; (d) the nature and extent of the excavations to be made, and the type, character, and general condition of materials to be excavated; (e) the necessary handling and re-handling of excavated materials; (f) the location and extent of necessary or probable dewatering requirements; (g) storm and flood water; (h) local conditions relative to labor, transportation, hauling, and rail delivery facilities; and (i) all other factors and conditions affecting or which may be affected by the work.

**HEREBY PROPOSED** to furnish all required materials, supplies, equipment, tools, and plant; to perform all necessary labor and supervision; and to construct, install, erect, and complete all work stipulated in, required by, and in accordance with the proposed Contract Documents and the drawings, Specifications, and other documents referred to therein (as altered, amended, or modified by addenda), in the manner and time prescribed and that he will accept in full payment sums determined by applying to the quantities of the following items, the following unit prices and/or any lump sum payments provided, plus or minus any special payments and adjustments provided in the Specifications and he understands that the estimated quantities herein given are not guaranteed to be the exact or total quantities required for the completion of the work shown on the drawings and described in the Specifications, and that increases or decreases may be made over or under the Contract estimated quantities to provide for needs that are determined during progress of the work and that prices bid shall apply to such increased or decreased quantities as follows:

**2018 CHIP SEAL PROGRAM  
Project No. 2018-502-1**

<u>Item</u>	<u>Description</u>	<u>Unit</u>	<u>No. of Units</u>	<u>Unit Price</u>	<u>Amount</u>
410.11	Type 2 Chip Seal (1/4" Aggregate)	S.Y.	200,623.7	_____	_____
616.00	Traffic Control	EA.	13	_____	_____
618.10	Mobilization	EA.	13	_____	_____
<b>TOTAL:</b>				_____	_____

BIDDER recognizes and acknowledges the receipt of the following Addenda:

<u>DATE</u>	<u>Addendum Number</u>	<u>DATE</u>	<u>Addendum Number</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

If the Bidder intends to use any subcontractor in the course of the construction, he shall list them. (If necessary, attach additional pages to list all subcontractors.)

<u>Company Name</u>	<u>Address</u>	<u>City, State, Zip</u>	<u>Work To Be Performed</u>	<u>% of Bid</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

**TIME OF COMPLETION:**

The undersigned hereby agrees to complete the project by no later than **August 31, 2018**, subject to the stipulations of the regulations of the Contract and the Special Conditions.

It is understood that the specifications governing the construction of the work contemplated are those known and designated as the "Missouri Highway & Transportation Commission Standard Specifications for Highway Construction, 2017" approved by the Missouri Highways & Transportation Commission except as modified, together with the special provisions, job and general, if any attached to this proposal.

It is understood and agreed that if this Proposal is accepted, the prices quoted above include all applicable state taxes and that said taxes shall be paid by the Contractor.

The undersigned, as Bidder, hereby declares that the only persons or firms interested in the Proposal as principal or principals is or are named herein and that no other persons or firms than herein mentioned have any interest in this Proposal or in the Contract to be entered into; and this Proposal is made without connection with any other person, company, or parties making a bid or proposal; and that it is in all respects fair and in good faith, without collusion or fraud.

The undersigned agrees that the accompanying bid deposit shall become the property of the County should he fail or refuse to execute the Contract or furnish Bond as called for in the specifications within the time provided.

If written notice of the acceptance of this bid is mailed, telegraphed, or delivered to the undersigned within ninety (90) days after the date of opening of bids, or any time thereafter before this bid is withdrawn, the undersigned will, within ten (10) days after the date of such mailing, telegraphing, or delivering of such notice, execute and deliver a Contract in the form of Contract attached.

The undersigned hereby designates as his office to which such notice of acceptance may be mailed, telegraphed, or delivered:

_____	_____	_____	_____
Contact Person	Company Name	Mailing Address	City, State & Zip Code

It is understood and agreed that this bid may be withdrawn at any time prior to the scheduled time for the opening of bids or any authorized postponement thereof.

Attached hereto is a Bid Bond for the sum of \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ (\$ \_\_\_\_\_)

Dollars (cashier's check), made payable to the County of COLE.

**SIGNATURE AND IDENTITY OF BIDDER**

The undersigned states that the correct LEGAL NAME and ADDRESS of (1) the individual bidder, (2) each partner or joint venturer (whether individuals or corporation, and whether doing business under a fictitious name), or (3) the corporation (with the state in which it is incorporated) are shown below; and that (if not signing with the intention of binding himself to become the responsible and sole contractor) he is the agent of, and duly authorized in writing to sign for the Bidder or Bidders; and that he is signing and executing this (as indicated in the proper spaces below) as the proposal of

---

**AN INDIVIDUAL:**

_____ Name of Individual	_____ Residence Street Address
_____ Social Security Number	_____ City, State & Zip Code
_____ Firm Name, If Any	_____ Business Address
_____ Business Telephone Number	_____ City, State & Zip Code
_____ Signature	_____ Date

---

**A PARTNERSHIP:**

_____ Name of Partnership	(State Names & Addresses of All Partners)
_____ Partner	_____ Residence Address
_____ Partner	_____ Residence Address
_____ Business Address	
_____ City, State & Zip Code	_____ Business Telephone Number
_____ Signature of At Least One Partner	_____ Date

**A CORPORATION:**

\_\_\_\_\_  
Name of Corporation

Incorporated under the laws of the State  
of \_\_\_\_\_

\_\_\_\_\_  
Name and Title of Officer

Corporate License No. \_\_\_\_\_  
(If a corporation organized in state other  
than Missouri, attach Certificate of \_\_\_\_\_  
Authority to do business in the State of  
Missouri.)

\_\_\_\_\_  
Business Telephone Number

\_\_\_\_\_  
Business Address

\_\_\_\_\_  
City, State & Zip Code

\_\_\_\_\_  
Signature of Officer

\_\_\_\_\_  
Date

ATTEST:

\_\_\_\_\_  
Signature of Secretary (SEAL)

\_\_\_\_\_  
Date



**ANTI-COLLUSION STATEMENT**

STATE OF \_\_\_\_\_ )

COUNTY OF \_\_\_\_\_ )

\_\_\_\_\_ )  
\_\_\_\_\_ )  
being first duly sworn, deposes and says that he is

\_\_\_\_\_ of \_\_\_\_\_  
Title of Person Signing Name of Bidder

\_\_\_\_\_  
Address of Bidder

that all statements made and facts set out in the proposal for the above project are true and correct; and that the bidder (The person, firm, association, or corporation making said bid) has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with such bid of any contract which result from its acceptance.

Affiant further certifies that bidder is not financially interested in, or financially affiliated with, any other bidder for the above project.

(BY) \_\_\_\_\_

(BY) \_\_\_\_\_

Sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_

\_\_\_\_\_  
Notary Public

My commission expires: \_\_\_\_\_



**CONTRACTOR'S AFFIDAVIT**

STATE OF \_\_\_\_\_ )  
 )  
 )  
COUNTY OF \_\_\_\_\_ )

This affidavit is hereby made a part of the Proposal, and an executed copy thereof shall accompany each Proposal submitted.

The undersigned, \_\_\_\_\_, of  
lawful age, being first duly sworn states upon oath that he is \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

the Contractor submitting the attached proposal, that he knows of his own knowledge and states it to be a fact that neither said proposal nor the computation upon which it is based include any amount of monies, estimate or allowance representing wages, moneys or expenses, however designated, proposed to be paid to persons who are not required to furnish material or actually perform services upon or as a part of the proposed project.

\_\_\_\_\_  
AFFIANT

Subscribed and sworn to before me, a Notary Public, in and for the County and State aforesaid, this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

\_\_\_\_\_  
Notary Public

My commission expires \_\_\_\_\_



**CONSTRUCTION CONTRACT**

**THIS CONTRACT**, made and entered into this \_\_\_\_\_ day of \_\_\_\_\_, 2018, by and between **[INSERT CONTRACTOR'S NAME]**, hereinafter called "Contractor," and the County of Cole, Missouri, hereinafter called "County."

**WITNESSETH:** That Whereas, the Contractor has become the lowest responsible bidder for furnishing the supervision, labor, tools, equipment, materials, and supplies and for constructing the following County improvements:

**2018 CHIP SEAL PROGRAM  
Project No. 2018-502-1**

**NOW, THEREFORE**, the parties to this contract agree to the following:

**1. Manner and Time for Completion** The Contractor agrees with the County to furnish all supervision, labor, tools, equipment, materials, and supplies; to perform all necessary labor and supervision; and to construct, install, erect and complete all work stipulated in, required by and in accordance with the contract documents and drawings, specifications and other documents referred therein (as altered, amended or modified by addenda) and with any applicable County regulations and state and federal laws, within ten (10) working days from the date Contractor is ordered to proceed, which order shall be issued by the Director of Public Works within ten (10) working days after the date of this contract.

**2. Prevailing Wages** All labor utilized in the construction of the aforementioned improvements shall be paid a wage of no less than the "prevailing hourly rate of wages" for work of a similar character in this locality, as established by the Department of Labor and Industrial Relations of the State of Missouri. Contractor acknowledges that Contractor knows the prevailing hourly rate of wages for this project because Contractor has obtained the prevailing hourly rate of wages from the contents of **ANNUAL WAGE ORDER NUMBER 24 - COLE COUNTY** in which the rate of wages is set forth. The Contractor further agrees that Contractor will keep an accurate record showing the names and occupations of all workmen employed by Contractor in connection with the work to be performed under the terms of this contract. The record shall show the actual wages paid to the workmen in connection with the work to be performed under the terms of this contract. A copy of the record shall be delivered to the Director of Public Works each week. In accordance with Section 290.250 RSMo., Contractor shall forfeit to the County One Hundred Dollars (\$100.00) for each workman employed, for each calendar day or portion thereof that the workman is paid less than the stipulated rates for any work done under this contract, by the Contractor or any subcontractor under the Contractor.

**3. Contract Sum** The County shall pay the Contractor for the prompt, faithful, and efficient performance of the conditions and undertakings of this contract, subject to additions, and deductions as provided, herein, in current funds the sum of **[Insert Construction Amount]**.

**TOTAL CONTRACT AMOUNT.....\$000,000.00**

The County hereby accepts and reserves and the Contractor is hereby bound thereby, Unit Prices of the Proposal submitted as follows:

**UNIT PRICES:**

For changing specified quantities of work from those indicated by the plans and specifications, upon written instructions of the County, the following unit prices shall prevail. The unit prices include all labor, overhead and profit, materials, equipment, appliances, bailing, shoring, shoring removal, etc., to cover the finished work of the several kinds called for. Only a single unit price shall be given and it shall apply for either MORE or LESS work than shown on the plans and called for in the specifications. In the event of more or less units than so indicated or included, change orders shall be issued for the increased or decreased amount.

***Itemized Quantities shall be placed here in awarded contract***

**4. Insurance** Contractor shall procure and maintain at its own expense during the life of this contract:

(a) **Workers Compensation Insurance** for all of its employees to be engaged in work under this contract.

(b) **Contractor's Public Liability Insurance** in an amount not less than \$1,000,000 for all claims arising out of a single occurrence and \$100,000 for any one person in a single accident or occurrence, except for those claims governed by the provisions of the Missouri workers compensation law, Chapter 287, RSMo., and Contractor's Property Damage Insurance in an amount not less than \$800,000 for all claims arising out of a single accident or occurrence and \$100,000 for any one person in a single accident or occurrence.

(c) **Automobile Liability Insurance** in an amount not less than \$1,000,000 for all claims arising out of a single accident or occurrence and \$100,000 for any one person in a single accident or occurrence.

(d) **Owner's Protective Liability Insurance** The Contractor shall also obtain at its own expense and deliver to the County a Owner's Protective Liability Insurance Policy naming the County of Cole as the insured, in an amount not less than \$1,000,000 for all claims arising out of a single accident or occurrence and \$100,000 for any one person in a single accident or occurrence, except for those claims governed by the provisions of the

Missouri workmen's compensation law, Chapter 387, RSMo. No policy will be accepted which excludes liability for damage to underground structures or by reason of blasting, explosion, or collapse.

( **(e) Subcontracts** In case any or all of this work is sublet, the Contractor shall require the Subcontractor to procure and maintain all insurance required in Subparagraphs (a), (b), and (c) hereof and in like amounts.

**(f) Scope of Insurance and Special Hazard** The insurance required under Subparagraphs (b) and (c) hereof shall provide adequate protection for the Contractor and its subcontractors, respectively, against damage claims which may arise from operations under this contract, whether such operations be by the insured or by anyone directly or indirectly employed by it, and also against any special hazards which may be encountered in the performance of this contract.

**NOTE:** Paragraph (f) is construed to require the procurement of Contractor's protective insurance (or contingent public liability and contingent property damage policies) by a general contractor whose subcontractor has employees working on the project, unless the general public liability and property damage policy (or rider attached thereto) of the general contractor provides adequate protection against claims arising from operations by anyone directly or indirectly employed by the Contractor.

( **5. Contractor's Responsibility for Subcontractors** It is further agreed that Contractor shall be as fully responsible to the County for the acts and omissions of its subcontractors, and of persons either directly or indirectly employed by them, as Contractor is for the acts and omissions of persons it directly employs. Contractor shall cause appropriate provisions to be inserted in all subcontracts relating to this work, to bind all subcontractors to Contractor by all the terms herein set forth, insofar as applicable to the work of subcontractors and to give Contractor the same power regarding termination of any subcontract as the County may exercise over Contractor under any provisions of this contract. Nothing contained in this contract shall create any contractual relations between any subcontractor and the County or between any subcontractors.

**6. Liquidated Damages** The Director of Public Works may, at his discretion, deduct **Seven Hundred (\$700.00)** per day from any amount otherwise due under this contract for every day Contractor fails or refuses to prosecute the work, or any separable part thereof, with such diligence as will insure the completion by the time above specified, or any extension thereof, or fails to complete the work by such time, as long as the County does not terminate the right of Contractor to proceed. It is further provided that Contractor shall not be charged with liquidated damages because of delays in the completion of the work due to unforeseeable causes beyond Contractor's control and without fault or negligence on Contractor's part or the part of its agents.

( **7. Termination** The County reserves the right to terminate this contract by giving at least five (5) days' prior written notice to the Contractor, without prejudice to any other rights or remedies of the County should the Contractor be adjudged as bankrupt, or if Contractor should make a general assignment for the benefit of its creditors, or if a receiver should be appointed for Contractor or for any of its property, or if Contractor should persistently or

repeatedly refuse or fail to supply enough properly skilled workmen or proper material, or if Contractor should refuse or fail to make prompt payment to any person supplying labor or materials for the work under the contract, or persistently disregard instructions of the County or fail to observe or perform any provisions of the contract.

**8. County's Right to Proceed** In the event this contract is terminated pursuant to Paragraph 6, then the County may take over the work and prosecute the same to completion, by contract or otherwise, and Contractor and its sureties shall be liable to the County for any costs over the amount of this contract thereby occasioned by the County. In any such case the County may take possession of, and utilize in completing the work, such materials, appliance, and structures as may be on the work site and are necessary for completion of the work. The foregoing provisions are in addition to, and not in limitation of, the rights of the County under any other provisions of the contract, County regulations, and state and federal laws.

**9. Indemnity** The Contractor agrees to defend, indemnify, and save the County harmless from and against all claims, suits, and actions of every description, brought against the County and from all damage and costs by reason or on account of any injuries or damages received or sustained by any person or persons, or their property, by Contractor, its servants, agents, or subcontractors in the construction of said work, or by any negligence or carelessness in the performance of the same, or on account of any act or omission of Contractor, its servants, agents, or subcontractors, or arising out of the award of this contract to Contractor.

**10. Payment for Labor and Materials** The Contractor agrees and binds itself to pay for all labor done, and for all the materials used in the construction of the work to be completed pursuant to this contract. Contractor shall furnish to the County a bond to insure the payment of all materials and labor used in the performance of this contract. The Contractor is aware of, understands and agrees to abide by RSMo. 34.057.

**11. Payment** The County hereby agrees to pay the Contractor for the work done on a monthly basis pursuant to this contract according as set forth in the Contract Documents upon acceptance of said work by the Director of Public Works and in accordance with the rates and/or amounts stated in the proposal of Contractor dated **May 4, 2018** which are by reference made a part hereof. No partial payment to the Contractor shall operate as approval or acceptance of work done or materials furnished hereunder.

**12. Contract Time** The project covered under this contract shall be completed by no later than **August 31, 2018**.

**13. Contract Documents** The contract documents shall consist of the following:

- |                            |  |
|----------------------------|--|
| a. This Contract           | f. General Special Provisions            |
| b. Addenda                 | g. Job Special Provisions                |
| c. Notice to Contractors   | h. Technical Specifications              |
| d. Instructions to Bidders | i. Drawings and/or Summary of Quantities |
| e. Signed Copy of Bid      |  |

This contract and the other documents enumerated in this paragraph, form the Contract

between the parties. These documents are as fully a part of the contract as if attached hereto or repeated herein.

**14. Nondiscrimination** The Contractor agrees in the performance of this contract not to discriminate on the ground or because of race, creed, color, national origin, or ancestry, sex, religion, handicap, age, or political opinion, or affiliation, against any employee of Contractor or applicant for employment and shall include a similar provision in all subcontracts let or awarded hereunder.

**15. Notices** All notices required to be in writing may be given by first class mail addressed to Cole County Commission, Courthouse Annex, Room 200, 301 East High Street, Jefferson City, Missouri 65101, and **[INSERT CONTRACTOR'S NAME AND MAILING ADDRESS]**. The date of delivery of any notice shall be the second full day after the day of its mailing.

**16. Jurisdiction** This agreement and every question arising hereunder shall be interpreted according to the laws and statutes of the State of Missouri.

**IN TESTIMONY WHEREOF**, the parties have hereunto set their hands and seals as of the day and year below written.

Executed by the **COUNTY** this \_\_\_\_\_ day of \_\_\_\_\_, 2018.

**COLE COUNTY COMMISSION**, Party of the First Part

\_\_\_\_\_  
Cole County Commission

**ATTEST:**

\_\_\_\_\_  
County Clerk (SEAL)

\_\_\_\_\_  
County Auditor  
*"I certify there is a balance otherwise unencumbered to the credit of the appropriation to which it is to be charged and a cash balance otherwise unencumbered in the treasury to the credit of the fund from which payment is to be incurred."*

Executed by the **CONTRACTOR** this \_\_\_\_\_ day of \_\_\_\_\_, 2018.

**CONTRACTOR**, Party of the Second Part

By \_\_\_\_\_

\_\_\_\_\_  
Title

**ATTEST:**

\_\_\_\_\_  
Secretary (SEAL)

**CERTIFICATE OF INSURANCE**

Issued at the request of The County of COLE, Missouri

Address: Cole County Commission  
Courtthouse Annex, Room 200  
311 East High Street  
Jefferson City, Missouri 65101

THIS IS TO CERTIFY that the insured named below is at this date insured with as described in the following schedule, and in full compliance with the Contract Documents, including all contractual liability coverage.

**DESCRIPTIVE SCHEDULE**

Name of Insured: \_\_\_\_\_

Address of Insured: \_\_\_\_\_

\_\_\_\_\_

Locations Covered: \_\_\_\_\_

\_\_\_\_\_

Description of Work: \_\_\_\_\_

\_\_\_\_\_



**PERFORMANCE, PAYMENT AND ONE YEAR GUARANTEE BOND**

**KNOW ALL MEN BY THESE PRESENTS**, that we, the undersigned \_\_\_\_\_  
\_\_\_\_\_  
hereinafter referred to as "Contractor" and \_\_\_\_\_  
a Corporation organized under the laws of the State of \_\_\_\_\_, and authorized to  
transact business in the State of \_\_\_\_\_, as Surety, are held and firmly  
bound unto the County of COLE, Missouri hereinafter referred to as "County" in the penal  
sum of \_\_\_\_\_  
\_\_\_\_\_ DOLLARS (\$\_\_\_\_\_),  
lawful money of the United States of America for the payment of which sum, well and truly  
to be made, we bind ourselves and our heirs, executors, administrators, successors, and  
assigns jointly and severally by these presents.

**THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH THAT: WHEREAS**, the  
above bounden Contractor has on the \_\_\_\_\_ day of \_\_\_\_\_, 2017,  
entered into a written contract with the aforesaid County for furnishing all materials,  
equipment, tools, superintendence, labor, and other facilities and accessories, for the  
construction of certain improvements as designated, defined, and described in the said  
Contract and the Conditions thereof, and in accordance with the specifications and plans  
therefore; a copy of said Contract being attached hereto and made a part hereof:

**NOW THEREFORE**, if the said Contractor shall and will, in all particulars, well, duly, and  
faithfully observe, perform, and abide by each and every covenant, condition, and part of  
the said Contract, and the Conditions, Specifications, Plans, Prevailing Wage Law, and  
other Contract Documents thereto attached or, by reference, made a part thereof,  
according to the true intent and meaning in each case, and if said contractor shall replace  
all defective parts, material and workmanship for a period of one year after acceptance by  
the County, then this Obligation shall be and become null and void; otherwise it shall  
remain in full force and effect.

**PROVIDED FURTHER**, that if the said Contractor fails to duly pay for any labor, materials,  
sustenances, provisions, provender, gasoline, lubricating oils, fuel oils, greases, coal  
repairs, equipment, and tools consumed or used in said work, groceries and foodstuffs,  
and all insurance premiums, compensation liability, and otherwise, or any other supplies or  
materials used or consumed by such Contractor or his, their, or its subcontractors in  
performance of the work contracted to be done, the Surety will pay the same in any  
amount not exceeding the amount of this Obligation, together with interest as provided by  
law:

**PROVIDED FURTHER**, that the said Surety, for value received, to be performed  
thereunder, or the specifications accompanying the same, shall in any way affect its  
obligation on this bond and it does hereby waive notice of any change, extension of time,  
alteration, or addition to the terms of the Contract, or to the work, or to the specifications:

**PROVIDED FURTHER**, that if said Contractor fails to pay the prevailing hourly rate of wages, as shown in the attached schedule, to any workman engaged in the construction of the improvements as designated, defined and described in the said Contract, specifications and conditions thereof, the Surety will pay the deficiency and any penalty provided for by law which the Contractor incurs by reason of (his/its) act or omission, in any amount not exceeding the amount of this obligation together with interest as provided by law:

**IN TESTIMONY WHEREOF**, the said Contractor has hereunto set his hand, and the said Surety has caused these presents to be executed in its name, and its corporate seal to be hereunto affixed, by it attorney-in-fact duly authorized thereunto so to do, at \_\_\_\_\_ this the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_  
SURETY COMPANY

\_\_\_\_\_  
CONTRACTOR

By \_\_\_\_\_ (SEAL)

By \_\_\_\_\_ (SEAL)

By \_\_\_\_\_ (SEAL)  
Attorney-in-Fact


By \_\_\_\_\_ (SEAL)  
(State Representative)

(Accompany this bond with Attorney-in-Fact's authority from the Surety Company certified to include the date of the bond.)

# Missouri

## Division of Labor Standards

WAGE AND HOUR SECTION



ERIC R. GREITENS, Governor

## Annual Wage Order No. 24

Section 026  
COLE COUNTY

In accordance with Section 290.262 RSMo 2000, within thirty (30) days after a certified copy of this Annual Wage Order has been filed with the Secretary of State as indicated below, any person who may be affected by this Annual Wage Order may object by filing an objection in triplicate with the Labor and Industrial Relations Commission, P.O. Box 599, Jefferson City, MO 65102-0599. Such objections must set forth in writing the specific grounds of objection. Each objection shall certify that a copy has been furnished to the Division of Labor Standards, P.O. Box 449, Jefferson City, MO 65102-0449 pursuant to 8 CSR 20-5.010(1). A certified copy of the Annual Wage Order has been filed with the Secretary of State of Missouri.

Original Signed by

Tammy Cavender  
Acting Department Director  
Division of Labor Standards

This Is A True And Accurate Copy Which Was Filed With The Secretary of State: March 10, 2017

Last Date Objections May Be Filed: April 10, 2017

Prepared by Missouri Department of Labor and Industrial Relations

OCCUPATIONAL TITLE	** Date of Increase	*	Basic Hourly Rates	Over-Time Schedule	Holiday Schedule	Total Fringe Benefits
Asbestos Worker (H & F) Insulator			\$32.42	55	60	\$22.40
Boilermaker			\$35.41	126	7	\$30.38
Bricklayer and Stone Mason			\$29.76	59	7	\$17.44
Carpenter	6/17		\$25.34	60	15	\$16.85
Cement Mason			\$27.82	9	3	\$12.92
Communication Technician	6/17		\$32.00	28	7	\$13.37 + 13%
Electrician (Inside Wireman)	6/17		\$32.00	28	7	\$13.37 + 13%
Electrician (Outside-Line Construction/Lineman)			\$43.50	43	45	\$5.50 + 36%
Lineman Operator			\$37.48	43	45	\$5.50 + 36%
Groundman			\$28.86	43	45	\$5.50 + 36%
Elevator Constructor	6/17	a	\$47.07	26	54	\$33.275
Glazier	6/17		\$27.32	122	76	\$12.08
Ironworker			\$28.96	11	8	\$24.99
Laborer (Building):						
General			\$23.01	42	44	\$13.54
First Semi-Skilled			\$25.01	42	44	\$13.54
Second Semi-Skilled			\$24.01	42	44	\$13.54
Lather			USE CARPENTER RATE			
Linoleum Layer and Cutter	6/17		\$25.22	60	15	\$16.85
Marble Mason	6/17		\$22.24	124	74	\$13.05
Marble Finisher	6/17		\$14.35	124	74	\$9.52
Millwright	6/17		\$26.34	60	15	\$16.85
Operating Engineer						
Group I	6/17		\$29.06	86	66	\$26.00
Group II	6/17		\$29.06	86	66	\$26.00
Group III	6/17		\$27.81	86	66	\$26.00
Group III-A	6/17		\$29.06	86	66	\$26.00
Group IV	6/17		\$26.83	86	66	\$26.00
Group V	6/17		\$29.76	86	66	\$26.00
Painter	6/17		\$23.69	18	7	\$12.08
Pile Driver			\$26.16	60	15	\$16.10
Pipe Fitter		b	\$38.00	91	69	\$26.93
Plasterer			\$26.33	94	5	\$12.97
Plumber		b	\$38.00	91	69	\$26.93
Roofer \ Waterproofer			\$29.30	12	4	\$15.19
Sheet Metal Worker			\$31.34	40	23	\$17.04
Sprinkler Fitter - Fire Protection			\$34.79	33	19	\$20.17
Terrazzo Worker	6/17		\$29.55	124	74	\$14.76
Terrazzo Finisher	6/17		\$19.22	124	74	\$14.76
Tile Setter	6/17		\$22.24	124	74	\$13.05
Tile Finisher	6/17		\$14.35	124	74	\$9.52
Traffic Control Service Driver			\$26.415	22	55	\$9.045
Truck Driver-Teamster						
Group I			\$25.30	101	5	\$10.70
Group II			\$25.95	101	5	\$10.70
Group III			\$25.45	101	5	\$10.70
Group IV			\$25.95	101	5	\$10.70

Fringe Benefit Percentage is of the Basic Hourly Rate

\*\*Annual Incremental Increase

Building Construction Rates for  
 COLE County Footnotes

OCCUPATIONAL TITLE	** Date of Increase	Basic Hourly Rates	Over-Time Schedule	Holiday Schedule	Total Fringe

\* Welders receive rate prescribed for the occupational title performing operation to which welding is incident;

Use Building Construction Rates on Building construction in accordance with the classifications of construction work established in 8 CSR 30-3.040(2).

Use Heavy Construction Rates on Highway and Heavy construction in accordance with the classifications of construction work established in 8 CSR 30-3.040(3).

- a - Vacation: Employees over 5 years - 8%; Employees under 5 years - 6%
- b - All work over \$7 Million Total Mechanical Contract - \$38.00, Fringes - \$26.93  
 All work under \$7 Million Total Mechanical Contract - \$36.66, Fringes - \$21.49

**COLE COUNTY  
BUILDING CONSTRUCTION - OVERTIME SCHEDULE**

**FED:** Minimum requirement per Fair Labor Standards Act means time and one-half (1 ½) shall be paid for all work in excess of forty (40) hours per work week.

**NO. 9:** Means the regular workday starting time of 8:00 a.m. (and resulting quitting time of 4:30 p.m.) may be moved forward to 6:00 a.m. or delayed one hour to 9:00 a.m. All work performed in excess of the regular work day and on Saturday shall be compensated at one and one-half (1½) times the regular pay. In the event time is lost during the work week due to weather conditions, the Employer may schedule work on the following Saturday at straight time. All work accomplished on Sunday and holidays shall be compensated for at double the regular rate of wages. The work week shall be Monday through Friday, except for midweek holidays.

**NO. 11:** Means eight (8) hours shall constitute a day's work, with the starting time to be established between 6:00 a.m. and 8:00 a.m. from Monday to Friday. Time and one-half (1½) shall be paid for first two (2) hours of overtime Monday through Friday and the first eight (8) hours on Saturday. All other overtime hours Monday through Saturday shall be paid at double (2) time rate. Double (2) time shall be paid for all time on Sunday and recognized holidays or the days observed in lieu of these holidays.

**NO. 12:** Means the work week shall commence on Monday at 12:01 a.m. and shall continue through the following Friday, inclusive of each week. All work performed by employees anywhere in excess of forty (40) hours in one (1) work week, shall be paid for at the rate of one and one-half (1½) times the regular hourly wage scale. All work performed within the regular working hours which shall consist of a ten (10) hour work day except in emergency situations. Overtime work and Saturday work shall be paid at one and one-half (1½) times the regular hourly rate. Work on recognized holidays and Sundays shall be paid at two (2) times the regular hourly rate.

**NO. 18:** Means the regular work day shall be eight (8) hours. Working hours are from six (6) hours before Noon (12:00) to six (6) hours after Noon (12:00). The regular work week shall be forty (40) hours, beginning between 6:00 a.m. and 12:00 Noon on Monday and ending between 1:00 p.m. and 6:00 p.m. on Friday. Saturday will be paid at time and one-half (1½). Sunday and Holidays shall be paid at double (2) time. Saturday can be a make-up day if the weather has forced a day off, but only in the week of the day being lost. Any time before six (6) hours before Noon or six (6) hours after Noon will be paid at time and one-half (1½).

**NO. 22:** Means a regular work week of forty (40) hours will start on Monday and end on Friday. The regular work day shall be either eight (8) or ten (10) hours. If a crew is prevented from working forty (40) hours Monday through Friday, or any part thereof by reason of inclement weather, Saturday or any part thereof may be worked as a make-up day at the straight time rate. Employees who are part of a regular crew on a make-up day, notwithstanding the fact that they may not have been employed the entire week, shall work Saturday at the straight time rate. A workday is to begin between 6:00 a.m. and 9:00 a.m. However, the project starting time may be advanced or delayed if mutually agreed to by the interest parties. For all time worked on recognized holidays, or days observed as such, double (2) time shall be paid.

**NO. 26:** Means that the regular working day shall consist of eight (8) hours worked between 6:00 a.m., and 5:00 p.m., five (5) days per week, Monday to Friday, inclusive. Hours of work at each jobsite shall be those established by the general contractor and worked by the majority of trades. (The above working hours may be changed by mutual agreement). Work performed on Construction Work on Saturdays, Sundays and before and after the regular working day on Monday to Friday, inclusive, shall be classified as overtime, and paid for at double (2) the rate of single time. The employer may establish hours worked on a jobsite for a four (4) ten (10) hour day work week at straight time pay for construction work; the regular working day shall consist of ten (10) hours worked consecutively, between 6:00 a.m. and 6:00 p.m., four (4) days per week, Monday to Thursday, inclusive. Any work performed on Friday, Saturday, Sunday and holidays, and before and after the regular working day on Monday to Thursday where a four (4) ten (10) hour day workweek has been established, will be paid at two times (2) the single time rate of pay. The rate of pay for all work performed on holidays shall be at two times (2) the single time rate of pay.

**COLE COUNTY**  
**BUILDING CONSTRUCTION - OVERTIME SCHEDULE**

**NO. 28:** Means a regular workday shall consist of eight (8) hours between 7:00 a.m. and 5:30 p.m., with at least a thirty (30) minute period to be taken for lunch. Five (5) days a week, Monday through Friday inclusive, shall constitute a work week. The Employer has the option for a workday/workweek of four (4) ten (10) hour days (4-10's) provided:

- The project must be for a minimum of four (4) consecutive days.
- Starting time may be within one (1) hour either side of 8:00 a.m.
- Work week must begin on either a Monday or Tuesday: If a holiday falls within that week it shall be a consecutive work day. (Alternate: If a holiday falls in the middle of a week, then the regular eight (8) hour schedule may be implemented).
- Any time worked in excess of any ten (10) hour work day (in a 4-10 hour work week) shall be at the appropriate overtime rate.

All work outside of the regular working hours as provided, Monday through Saturday, shall be paid at one & one-half (1½) times the employee's regular rate of pay. All work performed from 12:00 a.m. Sunday through 8:00 a.m. Monday and recognized holidays shall be paid at double (2) the straight time hourly rate of pay. Should employees work in excess of twelve (12) consecutive hours they shall be paid double time (2X) for all time after twelve (12) hours. Shift work performed between the hours of 4:30 p.m. and 12:30 a.m. (second shift) shall receive eight (8) hours pay at the regular hourly rate of pay plus ten (10%) percent for seven and one-half (7½) hours work. Shift work performed between the hours of 12:30 a.m. and 8:00 a.m. (third shift) shall receive eight (8) hours pay at the regular hourly rate of pay plus fifteen (15%) percent for seven (7) hours work. A lunch period of thirty (30) minutes shall be allowed on each shift. All overtime work required after the completion of a regular shift shall be paid at one and one-half (1½) times the shift hourly rate.

**NO. 33:** Means the standard work day and week shall be eight (8) consecutive hours of work between the hours of 6:00 a.m. and 6:00 p.m., excluding the lunch period Monday through Friday, or shall conform to the practice on the job site. Four (4) days at ten (10) hours a day may be worked at straight time, Monday through Friday and need not be consecutive. All overtime, except for Sundays and holidays shall be at the rate of time and one-half (1½). Overtime worked on Sundays and holidays shall be at double (2) time.

**NO. 40:** Means the regular working week shall consist of five (5) consecutive (8) hour days' labor on the job beginning with Monday and ending with Friday of each week. Four (4) 10-hour days may constitute the regular work week. The regular working day shall consist of eight (8) hours labor on the job beginning as early as 6:00 a.m. and ending as late as 5:30 p.m. All full or part time labor performed during such hours shall be recognized as regular working hours and paid for at the regular hourly rate. All hours worked on Saturday and all hours worked in excess of eight (8) hours but not more than twelve (12) hours during the regular working week shall be paid for at time and one-half (1½) the regular hourly rate. All hours worked on Sundays and holidays and all hours worked in excess of twelve (12) hours during the regular working day shall be paid at two (2) times the regular hourly rate. In the event of rain, snow, cold or excessively windy weather on a regular working day, Saturday may be designated as a "make-up" day. Saturday may also be designated as a "make-up" day, for an employee who has missed a day of work for personal or other reasons. Pay for "make-up" days shall be at regular rates.

**COLE COUNTY  
BUILDING CONSTRUCTION - OVERTIME SCHEDULE**

**NO. 42:** Means eight (8) hours between the hours of 8:00 a.m. and 4:30 p.m. shall constitute a work day. The starting time may be advanced one (1) or two (2) hours. Employees shall have a lunch period of thirty (30) minutes. The Employer may provide a lunch period of one (1) hour, and in that event, the workday shall commence at 8:00 a.m. and end at 5:00 p.m. The workweek shall commence at 8:00 a.m. on Monday and shall end at 4:30 p.m. on Friday (or 5:00 p.m. on Friday if the Employer grants a lunch period of one (1) hour), or as adjusted by starting time change as stated above. All work performed before 8:00 a.m. and after 4:30 p.m. (or 5:00 p.m. where one (1) hour lunch is granted for lunch) or as adjusted by starting time change as stated above or on Saturday, except as herein provided, shall be compensated at one and one-half (1½) times the regular hourly rate of pay for the work performed. All work performed on Sunday and on recognized holidays shall be compensated at double (2) the regular hourly rate of pay for the work performed. When working a five 8-hour day schedule and an Employer is prevented from working forty (40) hours, Monday through Friday, or any part thereof by reason of inclement weather (rain or mud), Saturday or any part thereof may be worked as a make-up day at the straight time rate. The Employer shall have the option of working five eight (8) hour days or four ten (10) hour days Monday through Friday. If an Employer elects to work five (5) eight (8) hour days during any work week, hours worked more than eight (8) per day or forty (40) hours per week shall be paid at time and one-half (1½) the hourly rate Monday through Friday. If an Employer elects to work four (4) ten (10) hour days in any week, work performed more than ten (10) hours per day or forty (40) hours per week shall be paid at time and one-half (1½) the hourly rate Monday through Friday. If an Employer is working ten (10) hour days and loses a day due to inclement weather, they may work ten (10) hours Friday at straight time. All hours worked over the forty (40) hours Monday through Friday will be paid at time and one-half (1½) overtime rate. Overtime shall be computed at half-hour intervals. Shift Work: Two (2) or three (3) shifts shall be permitted, provided such shifts are scheduled for a minimum of three (3) consecutive days. The second shift shall begin at 4:30 p.m. and end at 12:30 a.m. with one-half (1/2) hour for lunch between 7:30 p.m. and 9:00 p.m. and shall received eighty (8) hours' pay. The third shift shall begin at 12:30 a.m. and end at 8:00 a.m. with one-half (1/2) hour for lunch between 3:30 a.m. and 5:00 a.m. and shall received (8) hour's; pay. There shall be at least one (1) foreman on each shift on jobs where more than one shift is employed, provided that there are two (2) or more employees on second and on the third shifts. All shifts shall arrange to interchange working hours at the end of each week. When three shifts are used, the applicable rate must be paid from Saturday at 8:00 a.m. until the following Monday at 8:00 a.m. When three shifts are employed, the second and third shifts shall contain at least one-half (1/2) as many employees as the first shift.

**NO. 43:** Eight (8) hours shall constitute a work day between the hours of 7:00 a.m. and 4:30 p.m. Forty (40) hours within five (5) days, Monday through Friday inclusive, shall constitute the work week. Work performed in the 9th and 10th hour, Monday through Friday, shall be paid at time and one-half (1½) the regular straight time rate of pay. Contractor has the option to pay two (2) hours per day at the time and one-half (1½) the regular straight time rate of pay between the hours of 6:00 a.m. and 5:30 p.m., Monday through Friday. Work performed outside the regularly scheduled working hours and on Saturdays, Sundays and recognized legal holidays, or days celebrated as such, shall be paid for at the rate of double (2) time.

**NO. 55:** Means the regular work day shall be eight (8) hours between 6:00 a.m. and 4:30 p.m. The first two (2) hours of work performed in excess of the eight (8) hour work day, Monday through Friday, and the first ten (10) hours of work on Saturday, shall be paid at one & one-half (1½) times the straight time rate. All work performed on Sunday, observed holidays and in excess of ten (10) hours a day, Monday through Saturday, shall be paid at double (2) the straight time rate.

**NO. 59:** Means that except as herein provided, eight (8) hours a day shall constitute a standard work day, and forty (40) hours per week shall constitute a week's work. All time worked outside of the standard eight (8) hour work day and on Saturday shall be classified as overtime and paid the rate of time and one-half (1½). All time worked on Sunday and holidays shall be classified as overtime and paid at the rate of double (2) time. The Employer has the option of working either five (5) eight hour days or four (4) ten hour days to constitute a normal forty (40) hour work week. When the four (4) ten-hour work week is in effect, the standard work day shall be consecutive ten (10) hour periods between the hours of 6:30 a.m. and 6:30 p.m. Forty (40) hours per week shall constitute a week's work, Monday through Thursday, inclusive. In the event the job is down for any reason beyond the Employer's control, then Friday and/or Saturday may, at the option of the Employer, be worked as a make-up day; straight time not to exceed ten (10) hours or forty (40) hours per week. When the five day eight (8) hour work week is in effect, forty (40) hours per week shall constitute a week's work, Monday through Friday, inclusive. In the event the job is down for any reason beyond the Employer's control, then Saturday may, at the option of the Employer, be worked as a make-up day; straight time not to exceed eight (8) hours or forty (40) hours per week. The regular starting time (and resulting quitting time) may be moved to 6:00 a.m. or delayed to 9:00 a.m. Make-up days shall not be utilized for days lost due to holidays.

**COLE COUNTY  
BUILDING CONSTRUCTION - OVERTIME SCHEDULE**

**NO. 60:** Means the Employer shall have the option of working five 8-hour days or four 10-hour days Monday through Friday. If an Employer elects to work five 8-hour days during any work week, hours worked more than eight (8) per day or forty (40) per week shall be paid at time and one-half (1½) the hourly wage rate plus fringe benefits Monday through Friday. **SATURDAY MAKE-UP DAY:** If an Employer is prevented from working forty (40) hours, Monday through Friday, or any part thereof by reason of inclement weather (rain or mud), Saturday or any part thereof may be worked as a make-up day at the straight time rate. It is agreed by the parties that the make-up day is not to be used to make up time lost due to recognized holidays. If an Employer elects to work four 10-hour days, between the hours of 6:30 a.m. and 6:30 p.m. in any week, work performed more than ten (10) hours per day or forty (40) hours per week shall be paid at time and one half (1½) the hourly wage rate plus fringe benefits Monday through Friday. If an Employer is working 10-hour days and loses a day due to inclement weather, the Employer may work ten (10) hours on Friday at straight time. All hours worked over the forty (40) hours Monday through Friday will be paid at time and one-half (1½) the hourly wage rate plus fringe benefits. All Millwright work performed in excess of the regular work day and on Saturday shall be compensated for at time and one-half (1½) the regular Millwright hourly wage rate plus fringe benefits. The regular work day starting at 8:00 a.m. (and resulting quitting time of 4:30 p.m.) may be moved forward to 6:00 a.m. or delayed one (1) hour to 9:00 a.m. All work accomplished on Sundays and recognized holidays, or days observed as recognized holidays, shall be compensated for at double (2) the regular hourly rate of wages plus fringe benefits. **NOTE:** All overtime is computed on the hourly wage rate plus an amount equal to the fringe benefits.

**NO. 86:** The regular workday shall consist of eight (8) consecutive hours, exclusive of a thirty (30) minute lunch period, with pay at the straight time rate with all hours in excess of eight (8) hours in any one day to be paid at the applicable overtime rate at time and one-half (1½). The regular workday shall begin between the hours of 6:00 a.m. and 8:00 a.m. The Employer may have the option to schedule the work week from Monday through Thursday at ten (10) hours per day at the straight time rate of pay with all hours in excess of ten (10) hours in any one day to be paid at the applicable overtime rate at time and one-half (1½). If the Employer elects to work from Monday through Thursday and is stopped due to inclement weather, holiday or other conditions beyond the control of the Employer, they shall have the option to work Friday at the straight time rate of pay to complete the forty (40) hours for the workweek. All overtime work performed on Monday through Saturday shall be paid at time and one-half (1½) the hourly rate. Fringe benefits shall be paid at the one and one half the hourly rate. All work performed on Sundays and recognized holidays shall be paid at double (2) the hourly rate. Fringe benefits shall be paid at double the hourly rate. Shifts may be established when considered necessary by the Employer. Shift hours and rates will be as follows. If shifts are established, work on the First Shift will begin between 6:00 a.m. and 9:00 a.m. and consist of eight (8) hours of work plus one-half hour unpaid lunch. Hours worked during the first shift will be paid at the straight time rate of pay. The second shift shall start eight hours after the start of the first shift and consist of eight (8) hours of work plus one-half hour unpaid lunch. Work on the second shift will begin between 2:00 p.m. and 5:00 p.m. and be paid the straight time rate plus \$2.50 per hour. The third shift shall start eight hours after the start of the second shift and consist of eight (8) hours plus one-half hour unpaid lunch. Work on the third shift will begin between 10:00 p.m. and 1:00 a.m. and be paid the straight time rate plus \$3.50 per hour. The additional amounts that are to be paid are only applicable when working shifts. Shifts that begin on Saturday morning through those shifts which end on Sunday morning will be paid at time and one-half these rates. Shifts that begin on Sunday morning through those shifts which end on Monday morning will be paid at double time these rates.

**NO. 91:** Means eight (8) hours shall constitute a day's work commencing at 7:00 a.m. and ending at 3:30 p.m., allowing one-half (½) hour for lunch. The option exists for the Employer to use a flexible starting time between the hours of 6:00 a.m. and 9:00 a.m. The regular workweek shall consist of forty (40) hours of five (5) workdays, Monday through Friday. The workweek may consist of four (4) ten (10) hour days from Monday through Thursday, with Friday as a make-up day. If the make-up day is a holiday, the employee shall be paid at the double (2) time rate. The employees shall be paid time and one-half (1½) for work performed on Saturdays, before the regular starting time or after the regular quitting time or over eight (8) hours per work day (unless working a 10-hour work day, then time and one-half (1½) is paid for work performed over ten (10) hours a day) or over forty (40) hours per work week. Work performed on Sundays and recognized holidays shall be paid at the double (2) time rate of pay. **SHIFT WORK:** When it is necessary for the project to operate in shifts, there will be three (3) eight (8) hour shifts commencing at 8:00 a.m. Shift work must continue for a period of not less than three (3) consecutive work days, two (2) days which must be regular work days (Monday through Friday). In the event the second or third shift of any regular work day shall fall into a Saturday or a holiday, such extension into a Saturday or holiday shall be considered as part of the previous workday and employees shall be paid at the regular shift rate. The first day shift shall work a regular eight (8) hour day at regular rates. The second shift shall be eight (8) hours regular time pay plus \$2.50 per hour premium for eight (8) hours work. Third shift will be for eight (8) hours regular time pay plus \$3.00 per hour premium for eight (8) hours work.

## COLE COUNTY BUILDING CONSTRUCTION - OVERTIME SCHEDULE

**NO. 94:** Means eight (8) hours shall constitute a day's work between the hours of 8:00 a.m. and 5:00 p.m. The regular workday starting time of 8:00 a.m. (and resulting quitting time of 4:30 p.m.) may be moved forward to 6:00 a.m. or delayed one (1) hour to 9:00 a.m. All work performed in excess of the regular work day and on Saturday shall be compensated at one and one-half (1½) times the regular pay. In the event time is lost during the work week due to weather conditions, the Employer may schedule work on the following Saturday at straight time. All work accomplished on Sunday and holidays shall be compensated at double the regular rate of wages.

**NO. 101:** Means that except as provided below, eight (8) hours a day shall constitute a standard work day, and forty (40) hours per week shall constitute a week's work, which shall begin on Monday and end on Friday. All time worked outside of the standard work day and on Saturday shall be classified as overtime and paid the rate of time and one-half (1½) (except as herein provided). All time worked on Sunday and recognized holidays shall be classified as overtime and paid at the rate of double (2) time. The regular starting time of 8:00 a.m. (and resulting quitting time of 4:30 p.m.) may be moved forward to 6:00 a.m. or delayed one (1) hour to 9:00 a.m. The Employer has the option of working either five (5) eight-hour days or four (4) ten-hour days to constitute a normal forty (40) hour work week. When a four (4) ten-hour day work week is in effect, the standard work day shall be consecutive ten (10) hour periods between the hours of 6:30 a.m. and 6:30 p.m. Forty (40) hours per week shall constitute a week's work Monday through Thursday, inclusive. In the event the job is down for any reason beyond the Employer's control, then Friday and/or Saturday may, at the option of the Employer, be worked as a make-up day; straight time not to exceed ten (10) hours per day or forty (40) hours per week. Starting time will be designated by the employer. When the five (5) day eight (8) hour work week is in effect, forty (40) hours per week shall constitute a week's work, Monday through Friday, inclusive. In the event the job is down for any reason beyond the Employer's control, then Saturday may, at the option of the Employer, be worked as a make-up day; straight time not to exceed eight (8) hours per day or forty (40) hours per week. Make-up days shall not be utilized for days lost due to holidays.

**NO. 122:** Means the regular workday shall be (8) hours. The regular work week shall be forty (40) hours, beginning 6:00 a.m. on Monday and ending 6:00 p.m. on Friday. Saturday will be time and one-half (1½). Sunday and Holidays shall be double (2) time. Saturday can be a make-up day if weather has forced a day off.

**NO. 124:** Means eight (8) hours shall constitute a day's work on all classes of work between the hours of 6:00 a.m. and 5:30 p.m., Monday through Friday. The pay for time worked during these hours shall be at the regular wage rate. The regular workweek shall be Monday through Friday. Employment from 4:30 p.m. to 12:00 midnight, Monday through Friday, shall be paid for at one and one-half (1½) times the regular hourly rate. From 12:00 midnight until 8:00 a.m. on any day shall be paid for at twice the regular hourly rate. All time worked on Sundays and the recognized holidays shall be paid at the rate of double (2) time. It is understood that forty (40) hours shall constitute a regular workweek, (5-8's) Sunday Midnight through Friday Midnight, understanding anything over eight (8) hours is one and one-half (1½) times the hourly wage rate.

**NO. 126:** Means eight (8) hours per day shall constitute a day's work and forty (40) hours per week, Monday through Friday, shall constitute a week's work. The regular starting time shall be 8:00 a.m. If a second or third shift is used, the regular starting time of the second shift shall be 4:30 p.m. and the regular starting period for the third shift shall be 12:30 a.m. These times may be adjusted by the employer. The day shift shall work a regular eight (8) hours shift as outlined above. Employees working a second shift shall receive an additional \$0.25 above the regular hourly rate and perform seven and one-half (7½) hours work for eight (8) hours pay. Third shift employees shall be paid an additional \$0.50 above the regular hourly rate and work seven (7) hours for eight (8) hours pay. When circumstances warrant, the Employer may change the regular workweek to four (4) ten-hour days at the regular time rate of pay. All time worked before and after the established workday of eight (8) hours, Monday through Friday, and all time worked on Saturday shall be paid at the rate of time and one-half (1½) except in cases where work is part of an employee's regular Friday shift. All time worked on Sunday and recognized holidays shall be paid at the double (2) time rate of pay except in cases where work is part of an employee's previous day's shift. For all overtime hours worked \$29.14 of the fringe benefits portion of the prevailing wage shall be paid at the same overtime rate at which the cash portion of the prevailing wage is to be paid. The remaining \$1.24 of the fringe benefit portion of the prevailing wage may be paid at straight time.

**COLE COUNTY  
HOLIDAY SCHEDULE – BUILDING CONSTRUCTION**

**NO. 3:** All work done on New Year's Day, Decoration Day, July 4th, Labor Day, Veteran's Day, Thanksgiving and Christmas shall be compensated at the double (2) time rate of pay. When any of these holidays fall on a Sunday, the following Monday shall be observed.

**NO. 4:** All work done on New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving and Christmas Day shall be paid at the double time rate of pay. If any of the above holidays fall on Sunday, Monday will be observed as the recognized holiday. If any of the above holidays fall on Saturday, Friday will be observed as the recognized holiday and holidays falling on Sunday will be observed on the following Monday.

**NO. 5:** All work that shall be done on New Year's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, and Christmas Day shall be paid twice the amount of his or her regular hourly wage rate for each hour or fraction thereof worked on any such day .

**NO. 7:** The following days are assigned days and are recognized as holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, and Christmas Day. If a holiday falls on a Sunday, it shall be observed on the following Monday. If a holiday falls on a Saturday, it shall be observed on the preceding Friday. No work shall be performed on Labor Day except in case of jeopardy to work under construction. This is applied to protect Labor Day. When a holiday falls during the normal workweek, Monday through Friday, it shall be counted as eight (8) hours toward the forty (40) hour week. However, no reimbursement for these eight (8) hours is to be paid to the workman unless worked. If workman are required to work the above enumerated holidays or days observed as such, or on Sunday, they shall receive double (2) the regular rate of pay for such work.

**NO. 8:** All work performed on New Year's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, and Christmas Day, or the days observed in lieu of these holidays, shall be paid at the double time rate of pay.

**NO. 15:** All work accomplished on the recognized holidays of New Year's Day, Decoration Day (Memorial Day), Independence Day (Fourth of July), Labor Day, Veteran's Day, Thanksgiving Day and Christmas Day, or days observed as these named holidays, shall be compensated for at double (2) the regular hourly rate of wages plus fringe benefits. If a holiday falls on Saturday, it shall be observed on the preceding Friday. If a holiday falls on a Sunday, it shall be observed on the following Monday. No work shall be performed on Labor Day, Christmas Day, Decoration Day or Independence Day except to preserve life or property.

**NO. 19:** All work done on New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day, and Christmas Day shall be paid at the double time rate of pay. The employee may take off Friday following Thanksgiving Day. However, the employee shall notify his or her Foreman, General Foreman or Superintendent on the Wednesday preceding Thanksgiving Day. When one of the above holidays falls on Sunday, the following Monday shall be considered a holiday and all work performed on either day shall be at the double (2) time rate. When one of the holidays falls on Saturday, the preceding Friday shall be considered a holiday and all work performed on either day shall be at the double (2) time rate.

**NO. 23:** All work done on New Year's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, Christmas Day and Sundays shall be recognized holidays and shall be paid at the double time rate of pay. When a holiday falls on Sunday, the following Monday shall be considered a holiday. When a holiday falls on Saturday, Friday is recognized as a holiday.

**NO. 44:** All work done on New Year's Day, Decoration Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, and Christmas Day shall be paid at the double time rate of pay. If a holiday falls on a Sunday, it shall be observed on the Monday following. If a holiday falls on a Saturday, it shall be observed on the preceding Friday. No work shall be performed on these days except in emergency to protect life or property. All work performed on these holidays shall be compensated at double the regular hourly rate for the work performed. Overtime shall be computed at half-hour intervals.

**NO. 45:** All work performed on New Year's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, the day after Thanksgiving, the day before Christmas, and Christmas Day, shall be paid at the double time rate of pay.

**COLE COUNTY  
HOLIDAY SCHEDULE – BUILDING CONSTRUCTION**

**NO. 54:** All work performed on New Year's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, the Friday after Thanksgiving Day, and Christmas Day shall be paid at the double (2) time rate of pay. When a holiday falls on Saturday, it shall be observed on Friday. When a holiday falls on Sunday, it shall be observed on Monday.

**NO. 55:** The following days are recognized as holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day. If a holiday falls on a Sunday, it shall be observed on the following Monday. No work shall be performed on Labor Day except in case of jeopardy to work under construction. This rule is applied to protect Labor Day. When a holiday falls during the normal work week, Monday through Friday, it shall be counted as eight (8) hours toward the forty (40) hour week; however, no reimbursement for this eight (8) hours is to be paid the workmen unless worked. An Employer working a four (4) day, ten (10) hour schedule may use Friday as a make up day when an observed holiday occurs during the work week. Employees have the option to work that make up day. If workmen are required to work the above enumerated holidays, or days observed as such, they shall receive double (2) the regular rate of pay for such work.

**NO. 60:** All work performed on New Year's Day, Armistice Day (Veteran's Day), Decoration Day (Memorial Day), Independence Day (Fourth of July), Thanksgiving Day and Christmas Day shall be paid at the double time rate of pay. No work shall be performed on Labor Day except when triple (3) time is paid. When a holiday falls on Saturday, Friday will be observed as the holiday. When a holiday falls on Sunday, the following Monday shall be observed as the holiday.

**NO. 66:** All work performed on Sundays and the following recognized holidays, or the days observed as such, of New Year's Day, Decoration Day, Fourth of July, Labor Day, Veteran's Day, Thanksgiving Day and Christmas Day, shall be paid at double (2) the hourly rate plus an amount equal to the hourly Total Indicated Fringe Benefits. Whenever any such holidays fall on a Sunday, the following Monday shall be observed as a holiday.

**NO. 69:** All work performed on New Year's Day, Memorial Day, July Fourth, Labor Day, Veteran's Day, Thanksgiving Day or Christmas Day shall be compensated at double (2) their straight-time hourly rate of pay. Friday after Thanksgiving and the day before Christmas are also holidays, however, if the employer chooses to work the normal work hours on these days, the employee will be paid at straight-time rate of pay. If a holiday falls on a Saturday, the holiday will be observed on Saturday; if a holiday falls on a Sunday, the holiday will be observed on the following Monday.

**NO. 74:** All work performed on New Year's Day, Memorial Day, Fourth of July, Labor Day, Veteran's Day, Thanksgiving Day and Christmas Day, shall be paid at double (2) time of the hourly rate of pay. In the event one of the above holiday's falls on Saturday, the holiday shall be celebrated on Saturday. If the holiday falls on Sunday, the holiday will be celebrated on Monday.

**NO. 76:** The following days are recognized as holidays: New Years Day, Memorial Day, Independence Day, Labor Day, Veterans Day, Thanksgiving Day, and Christmas. No work of any pretense shall be performed on Charismas Day or Independence Day. Any work performed on the other holidays shall be paid for at least two (2) times the regular rate of pay. If a holiday falls on a Sunday, the following Monday will be observed. If a holiday falls on a Saturday, the preceding Friday will be observed.

OCCUPATIONAL TITLE	* Date of Increase	Basic Hourly Rates	Over-Time Schedule	Holiday Schedule	Total Fringe Benefits
Carpenter	6/17	\$31.02	23	16	\$16.85
Electrician (Outside-Line Construction\Lineman)		\$43.50	9	12	\$5.50 + 36%
Lineman Operator		\$37.48	9	12	\$5.50 + 36%
Lineman - Tree Trimmer		\$24.53	32	31	\$9.98 + 3%
Groundman		\$28.86	9	12	\$5.50 + 36%
Groundman - Tree Trimmer		\$18.14	32	31	\$7.19 + 3%
Laborer					
General Laborer	6/17	\$28.56	2	4	\$13.52
Skilled Laborer	6/17	\$28.56	2	4	\$13.52
Millwright	6/17	\$31.02	23	16	\$16.85
Operating Engineer					
Group I	6/17	\$28.14	21	5	\$25.89
Group II	6/17	\$27.79	21	5	\$25.89
Group III	6/17	\$27.59	21	5	\$25.89
Group IV	6/17	\$23.94	21	5	\$25.89
Oiler-Driver	6/17	\$23.94	21	5	\$25.89
Pile Driver	6/17	\$31.02	23	16	\$16.85
Traffic Control Service Driver		\$26.415	28	27	\$9.045
Truck Driver-Teamster					
Group I	6/17	\$29.87	25	21	\$12.85
Group II	6/17	\$30.03	25	21	\$12.85
Group III	6/17	\$30.02	25	21	\$12.85
Group IV	6/17	\$30.14	25	21	\$12.85

Use Heavy Construction Rates on Highway and Heavy construction in accordance with the classifications of construction work established in 8 CSR 30-3.040(3).

Use Building Construction Rates on Building construction in accordance with the classifications of construction work established in 8 CSR 30-3.040(2).

If a worker is performing work on a heavy construction project within an occupational title that is not listed on the Heavy Construction Rate Sheet, use the rate for that occupational title as shown on the Building Construction Rate sheet.

**REPLACEMENT PAGE  
COLE COUNTY  
OVERTIME SCHEDULE - HEAVY CONSTRUCTION**

**FED:** Minimum requirement per Fair Labor Standards Act means time and one-half (1 ½) shall be paid for all work in excess of forty (40) hours per work week.

**NO. 2:** Means a regular workweek shall be forty (40) hours and will start on Monday and end on Friday. The Employer shall have the option of working five 8-hour days or four 10-hour days Monday through Friday. If an Employer elects to work five 8-hour days during any workweek, hours worked more than eight (8) per day or 40 per week shall be paid at time and one-half the hourly rate Monday through Friday. If an Employer elects to work four 10-hour days in a week, work performed more than ten (10) hours per day or 40 hours per week shall be paid at time and one-half the hourly rate Monday through Friday. When working a five 8-hour day schedule and an Employer is prevented from working forty (40) hours Monday through Friday, or any part thereof, by reason of inclement weather, Saturday or any part thereof may be worked as a make-up day at the straight time rate. If an Employer is working a four 10-hour day schedule and loses a day due to inclement weather, he may work 10 hours Friday at straight time. All hours worked over the 40 hours Monday through Friday will be paid at 1 ½ overtime rate. A workday shift is to begin at the option of the Employer, between 6:00 a.m. and not later than 9:00 a.m. However, the project starting time may be advanced or delayed if required. If workmen are required to work the enumerated holidays or days observed as such or Sundays, they shall receive double (2) the regular rate of pay for such work. Overtime shall be computed at one-half (1/2) hour intervals. Shift: The Contractor may elect to work one, two or three shifts on any work. When operating on more than one shift, the shifts shall be known as the day shift, swing shift, and graveyard shift as such terms are recognized in the industry. When two shifts are worked on any operation, the shifts will consist of eight (8) or ten (10) hours exclusive of lunchtime. When three shifts are worked the first day or day shift will consist of eight (8) hours exclusive of lunchtime. The second or swing shift shall consist of seven and one-half (7 1/2) hours work for eight hours pay, exclusive of lunchtime, and the third or the graveyard shift shall consist of seven (7) hours work for eight (8) hours pay, exclusive of the lunchtime. All time in excess of normal shifts shall be considered overtime. Multiple shift (the two or three shift) operation will not be construed on the entire project if at anytime it is deemed advisable and necessary for the Employer to multiple shift a specific operation. However, no shift shall be started between midnight and six a.m. except the graveyard shift on a three-shift operation, or except in an unusual or emergency situation. If an Employer starts a shift between midnight and 6 a.m. except the graveyard shift on a three-shift operation, he shall reimburse all employees for the entire shift at the double time rate. Completion of the second shift on a two-shift operation or completion of the graveyard shift on a three-shift operation that carries over into Saturday morning, shall be at the straight time rate. Overtime shall be computed at ½ hour intervals.

**NO. 9:** Eight (8) hours shall constitute a work day between the hours of 7:00 a.m. and 4:30 p.m. Forty (40) hours within five (5) days, Monday through Friday inclusive, shall constitute the work week. Work performed in the 9th and 10th hour, Monday through Friday, shall be paid at time and one-half (1½) the regular straight time rate of pay. Contractor has the option to pay two (2) hours per day at the time and one-half (1½) the regular straight time rate of pay between the hours of 6:00 a.m. and 5:30 p.m., Monday through Friday. Worked performed in the first eight (8) hours on Saturday shall be paid at the rate of one and eight tenths (1.8) the regular straight time rate. Work performed outside these hours and on Sundays and recognized legal holidays, or days celebrated as such, shall be paid for at the rate of double (2) time.

**NO. 21:** Means the regular workday for which employees shall be compensated at straight time hourly rate of pay shall, unless otherwise provided for, begin at 8:00 a.m. and end at 4:30 p.m. However, the project starting time may be advanced or delayed at the discretion of the Employer. At the discretion of the Employer, when working a five (5) day eight (8) hour schedule, Saturday may be used for a make-up day. If an Employer is prohibited from working on a holiday, that employer may work the following Saturday at the straight time rate. However, the Employer may have the option to schedule his work from Monday through Thursday at ten (10) hours per day at the straight time rate of pay with all hours in excess of ten (10) hours in any one day to be paid at the applicable overtime rate. If the Employer elects to work from Monday through Thursday and is stopped due to circumstances beyond his control, he shall have the option to work Friday or Saturday at the straight time rate of pay to complete his forty (40) hours. If an Employer is prohibited from working on a holiday, that Employer may work the following Friday or Saturday at the straight time rate. Overtime will be at one and one-half (1½) times the regular rate. If workmen are required to work the enumerated holidays or days observed as such, or Sundays, they shall receive double (2) the regular rate of pay for such work.

**REPLACEMENT PAGE  
COLE COUNTY  
OVERTIME SCHEDULE - HEAVY CONSTRUCTION**

**NO. 23:** Means the regular workweek shall start on Monday and end on Friday, except where the Employer elects to work Monday through Thursday, (10) hours per day. All work over ten (10) hours in a day or forty (40) hours in a week shall be at the overtime rate of one and one-half (1½) times the regular hourly rate. The regular workday shall be either eight (8) or ten (10) hours. If a job can't work forty (40) hours Monday through Friday because of inclement weather or other conditions beyond the control of the Employer, Friday or Saturday may be worked as a make-up day at straight time (if working 4-10's). Saturday may be worked as a make-up day at straight time (if working 5-8's). An Employer, who is working a four (4) ten (10) hour day work schedule may use Friday as a make-up day when a workday is lost due to a holiday. A workday is to begin at the option of the Employer but not later than 11:00 a.m. except when inclement weather, requirements of the owner or other conditions beyond the reasonable control of the Employer prevent work. Except as worked as a make-up day, time on Saturday shall be worked at one and one-half (1½) times the regular rate. Work performed on Sunday shall be paid at two (2) times the regular rate. Work performed on recognized holidays or days observed as such, shall also be paid at the double (2) time rate of pay. For all overtime hours worked during the week or on Saturday \$16.25 of the fringe benefits portion of the prevailing wage shall be paid at time and one-half (1½). For all overtime hours worked on Sundays or recognized holidays \$16.25 of the fringe benefits portion of the prevailing wage shall be paid double time. The remaining \$.60 of the fringe benefit portion of the prevailing wage shall be paid at straight time.

**NO. 25:** Means a regular work week of forty (40) hours, starting on Monday and ending on Friday. The regular work day shall be either eight (8) or ten (10) hours. If a crew is prevented from working forty (40) hours Monday through Friday, or any part thereof by reason of inclement weather, Saturday or any part thereof maybe worked as a make-up day at the straight time rate. Employees who are part of a regular crew on a make-up day, notwithstanding the fact that they may not have been employed the entire week, shall work Saturday at the straight time rate. A work day is to begin between 6:00 a.m. and 9:00 a.m. However, the project starting time maybe advanced or delayed if mutually agreed to by the interest parties. All hours worked on recognized holidays, or days observed as such, double (2) time shall be paid.

**NO. 28:** Means a regular work week of forty (40) hours will start on Monday and end on Friday. The regular work day shall be either eight (8) or ten (10) hours. If a crew is prevented from working forty (40) hours Monday through Friday, or any part thereof by reason of inclement weather, Saturday or any part thereof may be worked as a make-up day at the straight time rate. Employees who are part of a regular crew on a make-up day, notwithstanding the fact that they may not have been employed the entire week, shall work Saturday at the straight time rate. A workday is to begin between 6:00 a.m. and 9:00 a.m. However, the project starting time may be advanced or delayed if mutually agreed to by the interest parties. For all time worked on recognized holidays, or days observed as such, double (2) time shall be paid.

**NO. 32:** Means the overtime rate shall be time and one-half the regular rate for work over forty (40) hours per week. Sundays and Holidays shall be paid at double the straight time rate.

**COLE COUNTY  
HOLIDAY SCHEDULE – HEAVY CONSTRUCTION**

**NO. 4:** All work performed on New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, Christmas Day, or observed as such, shall be paid at the double time rate of pay. When a Holiday falls on a Sunday, Monday shall be observed. No work shall be performed on Labor Day, except in case of jeopardy to life or property. This is applied to protect Labor Day.

**NO. 5:** The following days are recognized as holidays: New Year's Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day and Christmas Day. If a holiday falls on a Sunday, it shall be observed on the following Monday. If a holiday falls on a Saturday, it shall be observed on the preceding Friday. No work shall be performed on Labor Day except in case of jeopardy to work under construction. This rule is applied to protect Labor Day. When a holiday falls during the normal work week, Monday through Friday, it shall be counted as eight (8) hours toward a forty (40) hour week; however, no reimbursement for this eight (8) hours is to be paid the workman unless worked. If workmen are required to work the above recognized holidays or days observed as such, or Sundays, they shall receive double (2) the regular rate of pay for such work. The above shall apply to the four 10's Monday through Friday work week. The ten (10) hours shall be applied to the forty (40) hour work week.

**NO. 12:** All work performed on New Year's Day, Memorial Day, Fourth of July, Labor Day, Veteran's Day, Thanksgiving Day, Christmas Day, or days celebrated as such, shall be paid at the double time rate of pay. When one of the foregoing holidays falls on Sunday, it shall be celebrated on the following Monday. When one of the foregoing holidays falls on Saturday, it shall be celebrated on the Friday before the holiday.

**NO. 16:** The following days are recognized as holidays: New Year's Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day and Christmas Day. If a holiday falls on Sunday, it shall be observed on the following Monday. If a holiday falls on Saturday, it shall be observed on the preceding Friday. No work shall be performed on Labor Day except in case of jeopardy to work under construction. This rule is applied to protect Labor Day. When a holiday falls during the normal work week, Monday through Friday, it shall be counted as eight (8) hours toward the forty (40) hour week; however, no reimbursement for this eight (8) hours is to be paid to the worker unless worked. If workers are required to work the above recognized holidays or days observed as such, they shall receive double (2) the regular rate of pay for such work.

**NO. 21:** The following days are recognized as holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day. If a holiday falls on a Sunday, it shall be observed on the following Monday. No work shall be performed on Labor Day except in case of jeopardy to work under construction. This rule is applied to protect Labor Day. When a holiday falls during the normal work week, Monday through Friday, it shall be counted as eight (8) hours toward the forty (40) hour week; however, no reimbursement for this eight (8) hours is to be paid the workman unless worked. An Employer working a four (4) day, ten (10) hour schedule may use Friday as a make-up day when an observed holiday occurs during the work week. Employees have the option to work that make-up day. If workmen are required to work the above enumerated holidays, or days observed as such, they shall receive double (2) the regular rate of pay for such work.

**NO. 27:** The following days are recognized as holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day. If a holiday falls on a Sunday, it shall be observed on the following Monday. No work shall be performed on Labor Day except in case of jeopardy to work under construction. This rule is applied to protect Labor Day. When a holiday falls during the normal work week, Monday through Friday, it shall be counted as eight (8) hours toward the forty (40) hour week; however, no reimbursement for this eight (8) hours is to be paid the workmen unless worked. An Employer working a four (4) day, ten (10) hour schedule may use Friday as a make up day when an observed holiday occurs during the work week. Employees have the option to work that make up day. If workmen are required to work the above enumerated holidays, or days observed as such, they shall receive double (2) the regular rate of pay for such work.


**NO. 31:** All work performed on New Year's Day, Presidents' Day, Veterans' Day, Good Friday, Decoration Day, Fourth of July, Labor Day, Christmas Eve Day, Christmas Day, Thanksgiving Day and Day after Thanksgiving or days celebrated for the same.

JOB SPECIAL PROVISIONS

JOB SPECIAL PROVISIONS TABLE OF CONTENTS

(Job Special Provisions shall prevail over General Special Provisions whenever in conflict therewith.)

- A. General
- B. Parital Acceptance
- C. Traffic Control During Construction
- D. Location of Various Roads
- E. Order of Work
- F. Approval of Chip Seal Mix Design
- G. Stockpile Locations for Type 2 Aggregate
- H. Cooperative with Contractor on Specified Roads



04-06-18

**JOB SPECIAL PROVISIONS**

**FORWARD: The provisions of this section take precedence over any other provisions in these specifications.**

**A. GENERAL**

**1.0** The Technical Specifications for this project shall consist of the latest effective 2017 version of the Missouri Standard Specifications for Highway Construction except as modified or contradicted by the County's Contract, Special Provisions, General Provisions, and Plans.

**2.0** The contractor shall familiarize himself with these specifications prior to bidding. Failure to do so shall not relieve the contractor from delivering the completed project in accordance with the intent of the Plans and Specifications to provide a workable project.

**3.0** All Construction Details included with the bidding documents, plans and attached hereto shall be used in constructing this project.

**B. PARTIAL ACCEPTANCE**

The County reserves the right to accept any part or all of the bid for the project.

**C. TRAFFIC CONTROL DURING CONSTRUCTION**

Signs, cones, and barricades shall be placed both to protect workers and equipment and to protect the traveling public by marking open trenches and other potential dangers. All work shall be in accordance with the latest revision to Chapter 6 of the 2003 edition of the Manual on Uniform Traffic Control Devices (MUTCD).

**See Technical Specifications, Section 612 – Barricades and Flasher Signs**

It is generally expected that delays to the traveling public will occur from time to time. Road closures may be necessary in some situations and will be allowed only with prior notification from the Contractor and review by the County. The Contractor shall notify the County at least 2 days in advance of any requested road closure. This requirement is necessary in order to notify the media and appropriate emergency personnel in advance of said road closure.

At no time shall the Contractor be allowed to leave a road closure in place overnight.

**D. LOCATION OF VARIOUS ROADS**

The locations of the roads for the overlay work in this contract are in various parts of the County. It shall be the responsibility of the contractor to familiarize himself with the

JOB SPECIAL PROVISIONS

---

locations of these roads prior to bidding. Failure to do so shall not relieve the Contractor from delivering the completed project in accordance with the provisions of this contract.

**E. ORDER OF WORK**

The Contractor's order of work shall be presented to and approved by the County prior to beginning work. Any modifications to this order of work will not be allowed without prior approval by the County.

The order of work shall include in it the proposed truck haul routes to the various locations listed in the plans. The County reserves the right to restrict the use of certain roads as part of the haul routes.

Once work has commenced on any road or part of this project, the Contractor shall diligently pursue the completion of that work.

All costs associated with this provision shall be considered included in and completely covered by the various items of work in the contract.

**F. APPROVAL OF CHIP SEAL MIX DESIGN**

The contractor shall submit a MoDOT approved mix design for the chip seal surfacing with their bid response. All applicable portions of Sec. 409 submittal requirements shall apply.

**G. STOCKPILE LOCATIONS FOR TYPE 2 AGGREGATE**

All stockpile locations for the Type 2 aggregate shall be a paved surface and free of foreign aggregates. The contractor shall be responsible for securing a location and the location shall be approved by the engineer prior to hauling in the aggregate.

The contractor may use the County Maintenance Facility at 5055 Monticello Road for stockpiling. If the contractor chooses to do so, they shall adhere to all county policies while on the property and shall provide their own equipment and labor for loading the material.

**H. COOPERATION WITH CONTRACTOR ON SPECIFIED ROADS**

The contractor is advised that the county will be bidding a project for hot-in-place recycling of the existing asphalt surface on **Vintage Lane, South Country Club Drive and South Country Club Spur**. This project, if awarded, is expected to take place in late July and a chip seal surface course is required within 14 days after the completion of the hot-in-place recycling on each road.

**JOB SPECIAL PROVISIONS**

---

The contractor shall schedule their work such that they can complete the chip seal on these two roads within the specified time period. The county will communicate with both contractors to help with scheduling but the chip seal contractor is ultimately responsible to meet this requirement.

## GENERAL SPECIAL PROVISIONS

The General Special Provisions for this particular Cole County project shall consist of the currently corrected (2004) version of the *Missouri Standard Specifications for Highway Construction*, Section 100, except as modified or contradicted herein.

### SECTION 101.2 - DEFINITION OF TERMS

**Delete definition for "Commission" and substitute the following:**

If the words "Commission" or "The Missouri Highway and Transportation Commission" are used in the *Missouri Standard Specifications for Highway Construction*, the word "Owner" shall be substituted, and shall mean the County of COLE acting by and through any of its authorized representatives.

**Delete definition for "Contract" and substitute the following:**

**Contract.** The written agreement between the Owner and the Contractor covering the performance of the work for the proposed construction. The contract shall include Notice to Contractors, Instruction to Bidders, Plans, Proposal, Addenda, Contract Bond, Contract Agreement, Acknowledgment, Special Provisions, Standard Specifications, Notice to Proceed, and all Supplemental Contracts and Change Orders. It may cover a single project, or a combination of projects awarded as a single unit.

**Delete definition for "Engineer" and substitute the following:**

If the words "Engineer" or "Chief Engineer" are used in the *Missouri Standard Specifications for Highway Construction*, the word "Engineer" shall be substituted, and shall mean the County Engineer acting by and through any of his authorized representatives.

**Delete definition for "Laboratory" and substitute the following:**

**Laboratory.** Any testing laboratory which may be designated by the Engineer, for inspecting and determining the suitability of materials.

**Delete definition for "Plans" and substitute the following:**

**Plans.** Drawings or reproductions thereof approved by the Owner, which show the location, character, and details of the work. Plans shall prevail over standard specifications, general special provisions, and job special provisions when in conflict therewith.

**Insert the following definition for "Job Special Provision" where none currently exists:**

**Job Special Provisions.** Directions or requirements, peculiar to the work and not otherwise thoroughly or satisfactorily detailed or set forth in the standard specifications. Job special provisions shall prevail over general special provisions, and general special provisions shall prevail over standard specifications whenever in conflict therewith.

**Delete definition for “State” and substitute the following:**

If the words "State" or "State of Missouri" are used in such a manner which implies ownership of the project, the word "Owner" shall be substituted and shall mean the County of COLE acting by and through any of its authorized representatives.

## **SECTION 102 - BIDDING REQUIREMENTS AND CONDITIONS**

**Delete Sec. 102.1 and substitute the following:**

**102.1 Notice of Bid Opening.** After the date is fixed for the receipt of bids, the Owner may, in addition to the notice required by law, give notice of such date by mail directly to interested Contractors. The Notice of Letting will contain a description of the proposed work, together with instructions and information to the potential bidder regarding proposal forms, plans, specifications, and the reservation of the right of the Owner to reject any and all bids.

**Delete Sec. 102.2 thru Sec. 102.2.1 and substitute the following:**

**102.2 Bidder’s Qualifications.** To demonstrate his qualifications for the project, each bidder must be prepared to submit within seven (7) calendar days of the Owner’s request, written evidence as to the Contractor’s financial status, equipment, previous experience and personnel.

**Delete Sec. 102.2.2 and substitute the following:**

**102.2.2** Each prospective bidder shall execute the affidavit of labor standards compliance, stating that such bidder will fully comply with all written requests by the Missouri Department of Labor and Industrial Relations, Division of Labor Standards, to provide information for the purpose of establishing a prevailing wage.

**Delete Sec. 102.2.3 and substitute the following:**

**102.2.3** The prospective bidder, if a corporation, shall submit a copy of its current annual registration report, or initial registration report if a new corporation, on file with the Corporation Division of the Missouri Secretary of State’s Office. Each corporation which is a party to a joint venture shall submit the same required report with its joint venture contractor.

**Delete 102.6 and substitute the following:**

**102.6 Sales and Use Taxes.** The sales tax exemption for public works contractors of certain entities, enacted in 1994 in Section 144.062 RSMo, may apply to contractors for the Owner or their subcontractors or suppliers. This exemption is for materials consumed in the construction of, or incorporated into this project. The Owner will judge each project and determine if the sales tax exemption of the Owner will apply. If sales tax exemption is allowed on a project, it will be duly noted on the proposal form. The Owner will make the tax exemption certificate available, if applicable, to the successful bidder upon award of this contract. If the Owner does not allow the use of sales tax exemption, the contractor, subcontractor or suppliers shall pay all applicable state and local sales taxes or state use taxes on all material and supplies used on a project and should include those taxes in their bid.

**Delete 102.7.2 in its entirety.**

**Delete Sec. 102.7.3 and substitute the following:**

**102.7.3** A bid of an individual, including those doing business under a fictitious name, shall include the signature and address of the individual.

**Delete Sec. 102.7.4 and substitute the following:**

**102.7.4** A bid by a partnership or joint venture, including individuals doing business under fictitious names, or corporations, shall be executed by at least one of the partners followed by the title "Partner", or one of the joint venturers followed by the title "Joint Venturer" and the business address of the partnership or joint venturer shown. The true legal name and address of each partner and joint venturer shall also be shown.

**Delete Sec. 102.7.5 and substitute the following:**

**102.7.5** A bid by a corporation whether acting alone or as a joint venturer, shall show the address and name of the corporation and shall include the signature and title of a person authorized by its board of directors to bind the corporation.

**Add Section 102.7.9**

**102.7.9** All names must be typed or printed in ink below all signatures.

**Add Section 102.7.10**

**102.7.10** The bid shall contain an acknowledgement of receipt of all addenda (the number and dates of which shall be filled in on the Proposal Form).

**Add Section 102.7.11**

**102.7.11** All bidders shall complete and submit with their proposal the following forms included in the bid documents.

- (a) Proposal
- (b) Signature and Identity of Bidder
- (c) Bid Guaranty
- (d) Contractor's Affidavit
- (e) Anti-Collusion Statement

**Delete Sec. 102.9 and substitute the following:**

**102.9 Bid Guaranty.** No proposal will be considered unless accompanied by a certified check or cashier's check, on any bank or trust company, insured by the Federal Deposit Insurance Corporation, payable to the Owner, for not less than 5 percent of the amount of the bid, or by a bond secured by a qualified surety, or sureties, for not less than 5 percent of the amount of the bid. Surety companies shall furnish a Certificate of Authority in accordance with Section 103.4.2. Bid bonds may be submitted on forms furnished in these Contract documents. The proposal Guaranty shall be attached to the back of the bid proposal form.

**Delete Sec. 102.10 and substitute the following:**

**102.10 Delivery of Proposals.** Each proposal shall be submitted in a sealed, opaque envelope marked clearly "Construction Bid" and shall also be clearly marked with project title, project number, bid date, bid time and bidder's name and address. If sent by mail, the sealed bid shall be addressed to the Cole County Commission, Courthouse Annex, Room 200, 311 East High Street, Jefferson City, Missouri, 65101. All proposals shall be filed prior to the time and at the place specified in the Notice To Bidders. Proposals received after the time for opening of bids will be returned to the bidder unopened. No bids which are submitted by fax will be accepted.

**SECTION 103 - AWARD AND EXECUTION OF CONTRACT**

**Delete Sec. 103.2.1 and substitute the following:**

**103.2.1** The contract will be awarded by the Owner to the lowest responsible bidder as soon as practicable after the opening of the bids. The responsibility of the Contractor will be determined by the Owner based upon, but not limited to the Contractor's previous work, financial standing, and record for the payment of local bills incurred by the Contractor, his employees, and subcontractors. The successful bidder will be notified by letter mailed to the address shown on the proposal that his bid has been accepted and that he has been awarded the contract.

**Delete Sec. 103.4.1 and substitute the following:**

**103.4.1** The successful bidder shall, at the time of the execution of the contract, furnish a contract bond in a sum equal to the contract price. The bond shall be to the Owner, in a form and with surety, or sureties, acceptable to the Owner, to insure the proper and prompt completion of the work in accordance with the provisions of the contract, and to

insure payment for all labor performed and materials consumed or used in the work. The bond, if executed by a surety which is a corporation organized in a state other than Missouri, shall be signed by an agent or broker licensed by the Missouri Division of Insurance. All proposals shall be submitted on the basis of furnishing a contract bond executed by an approved surety, or sureties, as herein set out.

## **SECTION 104 - SCOPE OF WORK**

### **Add Sec. 104.6.3.5**

**104.6.3.5** All proposals shall be submitted to the Engineer. If so desired, the Contractor may submit a conceptual proposal for approval stating the basic proposal and approximate cost savings. The conceptual proposal will give the Contractor the opportunity to submit his idea without large initial development costs should the proposal be rejected.

### **Delete Sec. 104.11.2 and substitute the following:**

**104.11.2** The Contractor shall open and clean all existing channels and culverts leaving them free from all excess mud or silt, drift, brush, and debris of any kind. This work shall be considered incidental to the work, and no direct payment shall be made for work covered by this section.

### **Delete Sec. 104.13 in its entirety and substitute the following:**

#### **104.13 Warranty.**

**104.13.1** The Contractor shall warranty that the equipment, materials, and workmanship furnished under this contract will be as specified and will be free from defects for a period of one (1) year from the date of final acceptance. In addition, the equipment furnished by the Contractor shall be warranted to be free from defects in design.

**104.13.2** Within the warranty period and upon notification of the Contractor by the Owner, the Contractor shall promptly make all needed adjustments, repairs, or replacements arising out of defects which, in the judgment of the Engineer, or the County, become necessary during such period.

**104.13.3** The cost of all materials, parts, labor, transportation, supervision, special tools, and supplies required for replacement of parts, repair of parts, or correction of abnormalities shall be paid by the Contractor, or by his surety under the terms of the bond.

**104.13.4** The Contractor shall extend the terms of this warranty to cover repaired parts and all replacement parts furnished under the guarantee provisions for a period of one (1) year from the date of installation thereof.

**104.13.5** If within ten (10) days after the Owner gives the Contractor notice of a defect, failure, or abnormality of the work, the Contractor neglects to make, or undertake

with due diligence to make, the necessary repairs or adjustments themselves or order the work to be done by a third party, the Owner may complete the work and the costs of the work shall be paid by the Contractor.

**104.13.6** In the event of an emergency where, in the judgment of the Owner, delays would cause serious loss or damage, repairs or adjustments may be made by the Owner, or a third party chosen by the Owner, without giving notice to the Contractor, and the cost of the work shall be paid by the Contractor, or by his surety under the terms of the bond.

**104.13.7** No direct payment will be made for complying with the requirements of this section.

## **SECTION 105 - CONTROL OF WORK**

**Delete Sec. 105.5 and substitute the following:**

**105.5 Cooperation by Contractor.** The Contractor will be supplied with four (4) sets of approved plans and contract assemblies including special provisions. Additional sets of approved plans and contract assemblies including special provisions may be purchased as provided in the notice to bidders. One (1) set of approved plans and contract documents including special provisions shall be kept available on the job at all times.

**Add Sec. 105.5.3:**

**105.5.3** The Contractor shall notify the Engineer not less than four (4) working days prior to closing the road.

**Delete Sec. 105.7.1 and substitute the following:**

**105.7.1** The Contractor shall cooperate with utility owners and the Engineer in the location and relocation of utility facilities to minimize effects upon Contractor's work, interruption to utility service and duplication of work by utility owners. The Contractor shall perform the necessary clearing and grubbing as soon as practicable after the notice to proceed is issued to allow the utilities to locate or relocate their facilities. Facilities or appurtenances that are to remain in place during construction shall be accounted for and protected by the Contractor's work procedures. Utility location and relocation shall be made in accordance with 7 CSR Division 10, Chapter 3, Utility Location and Relocation.

**Add Section 105.7.7**

**105.7.7** The Contractor shall make suitable and timely verbal and written requests to all utility locating agencies, all railroad and utility owners, all pipe owners, and other parties affected, and endeavor to have all necessary locates and adjustments of public or private utility fixtures, pipe lines, and other appurtenances within or adjacent to the limits of construction, made as soon as practicable. One (1) copy of all requests shall be submitted to the Engineer.

**Delete Sec. 105.8 thru Sec. 105.8.2 and substitute the following:**

**105.8 Construction Stakes, Lines and Grades.** The Engineer will set initial field control consisting of bench marks and control monuments.

**105.8.1** The Contractor shall be responsible for the preservation of all bench marks and control monuments, and if any of these bench marks or control monuments are carelessly or willfully destroyed or disturbed, the cost of replacing them may be charged to the Contractor.

**105.8.2** These bench marks and control monuments will constitute the initial field control by and in accordance with which the Contractor shall establish all other necessary controls and perform the work in the correct position to correspond to the information shown on the plans and given by the Engineer during the progress of the work. Elevations shown on the drawings and referred to in the specifications are based on the bench marks shown.

**105.8.3** The Contractor shall employ competent personnel for making position, gradient and alignment determinations and measurements.

**Delete Sec. 105.10.2 and substitute the following:**

**105.10.2** Inspections and job control tests will generally be made by the Engineer on the following items of work. It shall be the responsibility of the Contractor to notify the Engineer by 1:00 P.M. of the day preceding any operation which affects these items.

- Initial Layout
- Removal of Existing Structure
- Pile Driving
- Footing Excavation
- Reinforcing Steel Placement
- All Concrete Operations
- All Asphalt Operations
- Girder Erection
- Requests for Compaction Testing
- All Base Rock Operations
- All Earthwork Operations
- All Roadway Surfacing Operations
- Post-Tensioning Material Placement
- Post-Tensioning Stressing
- Cutting of Tendon Ends
- Grouting of Stressing Pockets

If any operation which affects the above mentioned items is to be performed on a Monday, notification must be made to the Engineer by 1:00 P.M. of the preceding Friday. The lack

of supervision or inspection by the Engineer shall not relieve the Contractor of the responsibility to construct the project according to the plans and specifications. Any work performed or materials used without authorization by the Engineer may be ordered removed and replaced at the Contractor's expense.

**Delete Sec. 105.11.2 and substitute the following:**

**105.11.2** All changes in the work or departures from the plans, will be considered unauthorized, and the Engineer may order such work removed and replaced at the expense of the Contractor unless, before proceeding with the work, the Contractor has a copy of an Order Record signed by the Engineer, or a Change Order signed by all parties whose signatures are provided for, except the Federal Engineer. These forms will contain complete detailed instructions regarding the proposed changes. Any departure from the instructions contained in such written order shall be considered unauthorized.

**Delete Sec. 105.11.3 and substitute the following:**

**105.11.3** All construction and materials which have been rejected or declared unsatisfactory shall be remedied or removed and replaced in an acceptable manner by the Contractor at his expense. All expense incurred by the Engineer due to corrections or removal and replacement of construction and materials shall be born by the Contractor, and will be deducted from any payment which is or may become due the Contractor. Upon failure of the Contractor to remedy or remove and properly dispose of rejected materials or work, or to replace them immediately after receiving written notice from the Engineer, the Engineer may employ labor to rectify the work, and the cost of rectification will be deducted from any payment due or which may become due the Contractor.

**Delete Sec. 105.16.5 and Sec. 105.16.6 and substitute the following:**

**105.16.6** If the claim is against the Owner, the notice of claim shall be personally delivered or sent by certified mail to the Owner. If the claim is against the Contractor, the notice of the claim will be personally delivered or sent by certified mail to the Contractor at the address shown under the signature on the proposal. If the claim is against an assignee, notice of the claim will be personally delivered or sent by certified mail to the assignee at the address shown on the accepted notice of assignment. The party against whom a claim is filed shall file any counter claims within sixty (60) days after receipt of such notice. All notices of claims shall contain an itemized statement showing completely and fully the items and amounts forming the basis of the claim.

**SECTION 106 - CONTROL OF MATERIAL**

**Add Sec. 106.1.4.1:**

**106.1.4.1** Unless otherwise specified, all materials shall be subject to visual inspection and job control tests, as determined by the Engineer, and shall be certified by the material supplier that the material supplied conforms to the requirements of these specifications. All

certifications shall make reference to the specific project, and shall contain the supplier's name and address.

**Delete Sec. 106.2.2 and substitute the following:**

**106.2.2 Contractor Furnished Sources.** If sources of material are not designated in the plans or described in the contrast, or if the Contractor desires to use material from sources other than those designated, the Contractor shall acquire the necessary rights to take materials from the sources and shall pay all costs related thereto, including any which may result from testing of samples by an approved laboratory as required by the Engineer and for an increase in length of haul. All costs of exploring, meeting environmental requirements and developing such other sources shall be borne by the Contractor. The use of material from other than designated sources which have not had prior approval of the Engineer shall be used at the Contractor's risk and may be considered as unacceptable and unauthorized and, if so considered, will not be paid for. Where practicable, borrow areas, gravel pits, and quarry sites shall be located so that they will not be plainly visible from the state highway or county road.

**Delete Sec. 106.3 and substitute the following:**

**106.3 Samples, Tests, and Cited Specifications.** The Contractor shall submit certifications and substantiating test reports, furnished by the supplier or fabricator, certifying that material and manufacturing procedures conform to the specifications. There shall be no direct charge to the Owner for materials takes as samples, either for field tests or for laboratory tests. If a specification of a recognized national standard agency (ASTM, AASHTO, AWWA, AWS, etc.) is designated, the material may, unless otherwise specified, meet either the designated specification or the latest revision thereof in effect at the time of letting of the contract. Unless otherwise specified, all sampling and testing required by the specifications shall be performed by the supplier or fabricator at no cost to the Owner in accordance with the methods specified in the contract or in accordance with the latest methods in effect at the time of letting of the contact, as prescribed by the national standard agency, and the results shall be signed, sealed and stamped according to laws related to professional Engineers. If appropriate methods have not been so prescribed, tests shall be performed in a manner determined by the Engineer.

**Delete Sec. 106.8 and substitute the following:**

**106.8 Material Furnished by the Owner.** If any material is to be furnished by the Owner, special provisions designating such materials and their locations will be included in the proposal. The cost of handling and placing all materials shall be considered as included in the contract price for the item in connection with which they are used. The Contractor will be responsible for all material provided to him, and deductions will be made from any monies due him to make good any shortages and deficiencies, from any cause whatsoever, and for any damage which may occur, and for any demurrage charges.

**SECTION 107 – LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC**

**Delete Sec. 107.13 and substitute the following:**

**107.13 Insurance Requirements.** The Contractor shall procure and maintain at its own expense, until acceptance by the Engineer, liability insurance for all damages and losses imposed by law and assumed under the contract, of the kinds and in the amounts specified in Secs 107.13.1 through 107.13.3. Before the Contractor commences the work, the Contractor shall require the insurance company or companies to furnish to the Engineer evidence of such insurance showing compliance with these specifications. All insurance required in Sec 107.13 shall be occurrence policies in a form acceptable to the Engineer, and shall remain in form until all work required to be performed under the terms of the contract is satisfactorily completed as evidenced by its formal acceptance by the Engineer. Each policy or its declaration pages shall provide that the policy shall not materially changed or canceled until the Engineer has been given at least 30 days advance notice in writing. If any policy is canceled before the contract work is complete, a satisfactory replacement policy must be in force, with notice and evidence of insurance submitted to the Engineer, prior to the effective date of cancellation of the former policy. All evidence of insurance and notices shall be submitted to the Engineer. Upon request, the Contractor shall promptly furnish the Engineer with a complete copy of the policy. Failure to furnish evidence of proper insurance, or complete insurance policies when requested, will result in the temporary suspension of work as provided in Sec 108.6, and may result in order claims or actions for breach of contract or otherwise, as may be recognized at law or in equity.

**Delete Sec. 107.13.2.3 and substitute the following:**

**107.13.2.3 Additional Insureds.** Each policy of commercial general liability insurance shall name the Owner, Engineer and its members, agents and employees as additional insureds. Each commercial general liability insurance policy shall also contain a separation of insured conditions. The insurance afforded by the Contractor shall be primary insurance.

**Delete Sec. 107.15 and substitute the following:**

**107.15 Personal Liability of Public Officials.** There shall be no personal liability upon the public officials, or any member, employee or agent of the Owner in carrying out any of the provisions of the contract or in exercising any power or authority granted to them, it being understood that in such matters they acted as agents and representatives of the Owner with official and public duty doctrine immunity. If any provision of the contract appears to impose a duty on such an individual, the duty remains exclusively that of the Owner and is not a personal duty or obligation of the individual.

**SECTION 108 - PROSECUTION AND PROGRESS**

**Delete Sec. 108.1.1 and substitute the following:**

**108.1.1** The Contractor shall not sublet, sell, transfer, assign, or otherwise dispose of the contract or contracts or any portion thereof, or of his right, title, or interest therein, without written consent of the Engineer. Requests for permission to sublet, assign, or otherwise dispose of any portion of the contract shall be in writing and shall be accompanied by evidence that the organization which will perform the work is particularly experienced and equipped for such work. In case such consent is given, the Contractor will be permitted to sublet a portion thereof, but shall perform with his own organization work amounting to not less than forty percent (40%) of the total contract cost, except that any items designated by the Engineer as specialty items may be performed by subcontract and the contract value of any such specialty items so performed by subcontract may be deducted from the total contract cost before computing the amount of work required to be performed by the Contractor with his own organization. The subcontractor shall not sublet, sell, transfer, assign, or otherwise dispose of the subcontract. Consent to a subcontract shall constitute the Owner's endorsement of the qualifications of the subcontractor.

**Delete Sec. 108.4 and substitute the following:**

**108.4 Progress Schedules.** The Contractor shall, if requested by the Engineer, submit a progress schedule for review and approval. The progress schedule shall be submitted to the Engineer within three (3) days of the receipt of the request. The progress schedule shall be used to establish the construction operations and to monitor the progress of the work although the Engineer's determination of the then major operation or controlling item of work shall always prevail. The progress schedule shall be in the form specified in Sec 108.4.1, unless the contract contains a different requirement. The progress schedule shall be based on the number of working days, calendar days or other increments as set forth in the contract that the Contractor expects to require in completing the project recognizing the capabilities of labor, equipment, arrangements for materials, mobilization, shop drawing preparation and approvals, and other relevant items.

**Delete Sec. 108.4.2 and substitute the following:**

**108.4.2 Preparation of Initial Schedule.** The Contractor shall, if requested by the Engineer, complete development of the initial activities schedule chart and written narrative and present a copy to the Engineer at least seven (7) days prior to the pre-construction conference.

**Delete Sec. 108.7.2.2 and substitute the following:**

**108.7.2.2** The count of working days will start on the date the Contractor starts construction operations, or the authorization date in the Notice to Proceed, whichever is earlier. The Engineer will be the judge of the number of working days to be charged under the contract. In computing the working days charged against the Contractor in the execution of the work, allowance will be made for days that are not working days and for days during which work is suspended with the written approval of the Engineer. The Engineer may make allowance for working days lost due to causes he deems justified for the elimination of the count of working days. No allowance will be made for delay or

suspension of the prosecution of the work due to fault of the Contractor. On or about the first of each month, the Engineer will give the Contractor written notice of the number of working days charged to the contract for the preceding time period. Any objection by the Contractor to the number of working days so charged shall be made in writing within five (5) days, setting forth his objections and specifying the reasons therefore, or those objections shall be forever waived and may not constitute the basis for an excusable or compensable delay.

## **SECTION 109 - MEASUREMENT AND PAYMENT**

**Delete Sec. 109.1 and substitute the following:**

**109.1 Measurement of Quantities.** Unless otherwise specified hereinafter, all work performed under the contract will be paid for on contract quantity basis as set forth in these specifications. When the quantity of any item that is to be paid for on a contract quantity basis is found to include errors, or when an authorized revision of the plan is made, the quantity will be corrected before making final payment. The method of measurement and computations to be used in determination of quantities of material furnished and of work performed under the contract will be those methods generally recognized as conforming to good engineering practice.

**Add Sec. 109.5.9:**

**109.5.9** The Contractor shall not begin any work for which price payments are not provided in the contract without first bringing the matter to the attention of the Engineer, and no bills or charges for extra or force account work will be allowed except for that ordered in writing and approved by the Engineer.

**Delete Sec 109.6 and substitute the following:**

**109.6 Method of Payment.** Payment to the Contractor for furnishing all material and performing all work under the contract shall be made by check.

**Delete Sec. 109.7 in its entirety and substitute the following:**

### **109.7 Partial Payments**

**109.7.1** The Contractor shall submit for review and approval by the Engineer either monthly or bi-monthly payment requests on or about the 1<sup>st</sup> and 15<sup>th</sup> of each month for the work performed and the value thereof at the contract unit prices. The proper percentage with relation to completion will be allowed for all incomplete items.

**109.7.2** No payments will be made on account of materials not yet incorporated into the work.

**109.7.3** From the total amount of work items of each estimate, there will be deducted five (5) percent. The retained percentage will be released as provided in Sec. 109.9. The net amount due on the estimate will be certified to the Owner for payment. This method of retained percentage does not apply to Sec. 808.6.

**109.7.4** Payment may be withheld or nullified in whole or part to such extent as may be necessary to protect the Owner from loss on account of:

- a. Failure to properly submit material certifications and substantiating test reports required under Sec. 106.1.4.1 and Sec. 106.3.
- b. Failure to properly submit certified copies of labor payrolls required under Sec. 110.
- c. Defective work not remedied.
- d. Failure of the Contractor to properly make payment to suppliers or subcontractors for material and/or labor (RSMo 34.057)
- e. A reasonable doubt that the contract can be completed for the balance then unpaid.
- f. Damage to another Contractor.

**Delete Sec. 109.9.1 and substitute the following:**

**109.9.1 Withholding of Retained Percentage** Prior to any release of retained percentage, the Contractor shall file with the Owner the following:

- a. An affidavit, to the effect that all payments have been made and all claims have been released for all materials, labor, and other items covered by the contract bond;
- b. Written consent of the surety to such payment;
- c. Certification regarding work performed by and payments made to Disadvantaged Business Enterprises (DBE's);
- d. Lien Waivers signed by each supplier furnishing materials to the project and/or each subcontractor providing services/materials for the project releasing all claims to said materials and services;
- e. The Contractor and all subcontractors shall file an affidavit stating that each has fully complied with the provisions and requirements of the Prevailing Wage Law;
- f. Any other documents which may be required by the contract, or the Engineer.

**Add Sec. 109.9.1.3:**

**109.9.1.3** When the work has been completed and certified by the Owner, a final estimate will be executed and submitted, which will provide payment to the Contractor for the entire sum due him as set forth in these specifications, including the amount previously retained by the Owner. All prior partial estimates and payments shall be subject to correction by the Owner in this final estimate and payment.

**SECTION 110 - STATE AND FEDERAL WAGE RATES AND OTHER REQUIREMENTS**

**Add Sec. 110.5:**

**110.5** The Contractor and all subcontractors shall maintain books, accounts, ledgers, invoices, drafts, documents, pages and other business records pertaining to the performance of the contract with such materials available at the Contractor's field or permanent business offices at all reasonable times during the performance of the contract and for four (4) years from the date of final payment under the contract, for inspection by authorized representatives.

**Add Sec. 110.6:**

**110.6** The Contractor and each subcontractor shall be required to submit to the Engineer one certified copy of labor payrolls and a weekly statement of compliance (Form WH-347) for each week that work is in progress, within seven (7) days of the payment date of the payroll. If work is temporarily suspended, the last payroll shall be marked appropriately to note that it will be the last payroll until work is resumed.

**Add Sec. 110.7:**

**110.7** Payrolls to be submitted shall be checked for compliance with the contract requirements and will be retained by the Owner for a period of three (3) years following final audit, during which time they will be open to inspection.

**Add Sec. 110.8:**

**110.8** The Contractor shall be responsible for the submittal of payrolls and certifications for all subcontractors.

**Add Sec. 110.9:**

**110.9** The Owner may check payrolls with the following checks, however, it will still be the Contractor's responsibility to ensure proper labor compliance:

- a. The employee's full name as shown on his social security card, his address and social security number shall be entered on each payroll.

- b. Check the payroll for correct employee classification.
- c. Check the payroll for correct hourly wage and, if applicable, the correct overtime hourly rate.
- d. Check the daily and weekly hours worked in each classification including actual overtime hours worked. (Not adjusted hours)
- e. All deductions are listed in the net wage shown. The Form WH-347 is to be used if fringe benefits are paid into established programs. However, if fringe benefits are paid in cash to the employee, the amount shall be indicated on the payroll.
- f. To assure that the payrolls are arithmetically correct, approximately ten percent (10%) of the extensions on the first three (3) payrolls shall be checked. The Contractor will be advised of any violations noted on the labor payroll. All the errors will be corrected by means of a supplementary payroll.
- g. All checking by the Owner will be made in red pencil and initialed by the checker.
- h. Final payroll will be marked "Final" or "Last Payroll".
- i. A record of all payrolls will be maintained by the Owner.

**Add Sec. 110.10:**

**110.10** The contracts for construction projects require that certain information be displayed in a conspicuous place within the project limits for the duration of the contract. The following is a list of required information to be posted both on the project and in the Owner's office:

- a. In the Owner's office:
  - 1. Missouri Equal Employment Opportunity Notice
  - 2. PR-1022, Title 18, Section 1020, Notice on False Statements
- b. On the Projects:
  - 1. State and Federal Wage Rates Notice
  - 2. Federal Equal Employment Opportunity Notice (English and Spanish version)
  - 3. PR-1022, Title 18, Section 1020, Notice on False Statements
  - 4. Form FHWA-1495, and FHWA-1495A, Wage Rate Information (Post with Federal Wage Rates, if applicable)
  - 5. Contractor's and Subcontractor's EEO Policy Statements and name, address, and telephone number of designated EEO Officers

6. Notice to Labor Unions of Contractor's commitment to EEO (if applicable)
7. Notice requesting referral of minorities by present employees

**Add Sec. 110.11:**

**110.11** The Owner's personnel will generally conduct one wage rate interview on each project every month. Labor interviews are not required on railroad and other utility adjustments. The interviewer will determine the employee's name, the employer's name, the classification of the employee, the actual wage paid, and the posted wage.

# CHIP SEAL SURFACING TECHNICAL SPECIFICATIONS

## GENERAL

This article sets forth the technical requirements governing the quality of the labor and materials used in the project.

All materials not conforming to the specifications indicated shall be considered defective and rejected and shall be removed from the site of work. All material specifications will be constructed under the provisions of the Missouri Standard Specifications for Highway Construction as provided.

## 1. SCOPE OF WORK

- 1.1 Description: This work consists of an application of asphaltic emulsion followed with an application of graded aggregate surfacing material. The work performed under this contract shall consist of furnishing all labor, equipment, traffic control devices, and materials to construct a single-layer aggregate surface treatment over an existing asphaltic concrete pavement and/or a double-layer of newly upgraded aggregate surfaces.
- 1.2 The polymer modified emulsified asphalt seal coat shall be constructed in accordance with these specifications and in conformity to the lines, grades, thickness and cross sections shown on the plans, or established by the Engineer.
- 1.3 A double seal coat application shall involve a thorough sweeping of the pavement after the first application has cured followed by a second application in accordance to the specifications.
- 1.4 **Design Aggregate and Binder Application Rates.** The McLeod mix design method shall be used and all computations (target stockpile gradation and application rates of CRS-2P and cover aggregate) shall be submitted to the Engineer or review with the submittal of the bid. The mix design shall include the material sources intended for use on the project and shall be submitted with the bid.

## 2. MATERIALS

### 2.1 Type 1 Chip Seal Surfacing (Osage River Pea Gravel)

- 2.1.1 All material shall conform to Missouri Standard Specifications for Highway Construction, Division 1000, Materials Details, and specifically as follows:

<u>Item</u>	<u>Section</u>
Cationic Rapid Set Emulsion (CRS-2P)	409

Aggregate for Polymer Modified Asphalt Seal Coats; 3/8" or 7/16" clean aggregate 1003

- 2.1.2 The emulsion application rate shall range from 0.38 to 0.42 gallons per square yard per lift.
- 2.1.3 The aggregate application rate shall be 23-27 pounds per square yard.
- 2.1.4 All rock shall come from the Osage River and be screened and washed.

## 2.2 Type 2 Chip Seal Surfacing (1/4" Trap Rock)

- 2.2.1 All material shall conform to Missouri Standard Specifications for Highway Construction, Division 1000, Materials Details, and specifically as follows:

<u>Item</u>	<u>Section</u>
Cationic Rapid Set Emulsion (CRS-2P)	409
Aggregate for Polymer Modified Asphalt Seal Coats (Porphyry, Grade A); 1/4" MoDOT	1003
Sand	1002

- 2.2.2 CRS-2P shall also meet the requirements of tests conducted in accordance to ASTM D2397 and shall have a minimum Elastic Recovery of 65%. The material shall have a minimum float value of 1200 when tested in accordance to ASTM D 139.
- 2.2.3 The emulsion application rate will be determined by the engineer based on a site by site evaluation. Application rates shall range from **0.30 to 0.31** gallons per square yard for a single lift.
- 2.2.4 The aggregate application rate shall be **13 to 16** pounds per square yard.
- 2.2.5 The aggregate shall be Iron Mountain Trap Rock or approved equal meeting the following requirements:

The porphyry aggregate shall have a Bulk Specific Gravity of 2.55 to 2.75 when tested in accordance with ASTM C127. The aggregate shall not have a percent of wear exceeding 20 when tested in accordance with AASHTO-T96 (Los Angeles Abrasion).

- 2.2.6 All aggregate shall be stockpiled on an asphalt or concrete surface, not located in a flood plain.
- 2.2.7 Sand from the Mississippi River or the Missouri River basin may be used for blotter material, if needed.

### **2.3 Type 2 Chip Seal Surfacing (3/8" Trap Rock)**

2.3.1 All material shall conform to Missouri Standard Specifications for Highway Construction, Division 1000, Materials Details, and specifically as follows:

<u>Item</u>	<u>Section</u>
Cationic Rapid Set Emulsion (CRS-2P)	409
Aggregate for Polymer Modified Asphalt Seal Coats (Porphyry, Grade A1); 3/8" MoDOT	1003
Sand	1002

2.3.2 CRS-2P shall also meet the requirements of tests conducted in accordance to ASTM D2397 and shall have a minimum Elastic Recovery of 65%. The material shall have a minimum float value of 1200 when tested in accordance to ASTM D 139.

2.3.3 The emulsion application rate will be determined by the engineer based on a site by site evaluation. Application rates shall range from **0.40 to 0.41** gallons per square yard for a single lift.

2.3.4 The aggregate application rate shall be **20 to 25** pounds per square yard.

2.3.5 The aggregate shall be Iron Mountain Trap Rock or approved equal meeting the following requirements:

The porphyry aggregate shall have a Bulk Specific Gravity of 2.55 to 2.75 when tested in accordance with ASTM C127. The aggregate shall not have a percent of wear exceeding 20 when tested in accordance with AASHTO-T96 (Los Angeles Abrasion). Application rate of aggregate will range from 13 to 15 pounds per square yard.

2.3.6 All aggregate shall be stockpiled on an asphalt or concrete surface, not located in a flood plain.

2.3.7 Sand from the Mississippi River or the Missouri River basin may be used for blotter material, if needed.

### **3. EQUIPMENT**

The following equipment or its equivalent will be required:

3.1 Distributor: The Contractor shall provide a distributor, for heating and applying bituminous materials, that meets the requirements of Section 409.4 of Missouri Standard Specifications for Highway Construction. The tachometer shall be readily visible to the operator and have a dial reading registering liters per minute

(gallons per minute) passing through the nozzle. The thermometer well shall not be in contact with a heating tube. A hose and spray nozzle attachment shall be provided for applying asphalt material to patches and areas inaccessible to the spray bar. The distributor shall be provided with heaters that can be used to bring the asphalt material to spray application temperature. The distributor shall have a computer controlled application system and be equipped with a bitumeter with a dial gauge-registering (feet) meter of travel per minute and shall be visible by the driver

The extended width of application of the spray bar shall be 24 feet with provision for lesser width when necessary.

The distributor shall be provided with a full circulatory system that includes the spray bar.

The distributor shall be cleaned of foreign contaminants before it is used.

- 3.2 Broom: A mechanical type power broom shall be used for removing loose material from the surface to be treated and for removing loose aggregate after work is completed. The broom shall have a minimum storage capacity of 2 cubic yards. The broom must also be equipped with plastic bristles.
- 3.3 Rollers: A minimum of two oscillating-type pneumatic-tire rollers shall be required to roll aggregate after spreading. The pneumatic-tire rollers shall be self-propelled with smooth-tread pneumatic tires of equal size staggered on the axles at such spacing and overlaps as will provide uniform pressure to seat the cover aggregate into the bituminous material without fracturing the aggregate particles. The pneumatic-tire rollers shall weigh from 5 to 8 tons (4.5 to 7 metric tons), shall be operated at a speed not be exceed per hour 5 mph , shall have a contact pressure of 60 psi to 80 psi and shall have a total compacting width of not less than 60 inches (152 cm).
- 3.4 Aggregate Spreader: The aggregate spreader shall be a self-propelled mechanical spreader, equipped with a computer guided system and positive controls capable of uniformly distributing a 24 foot wide band of aggregate at a prescribed rate in a single-pass operation over the surface to be sealed. The operation of aggregate spreaders at speeds which cause aggregate to "roll over" after striking the emulsion covered surface will not be permitted. Aggregate spreaders will not be operated on uncovered polymer modified emulsified asphalt. Spreaders shall be calibrated before operation on the project.
- 3.5 Hauling Equipment: Hauling equipment shall be operated in a prudent manner and at moderate speeds that will not damage the new chip seal or create a hazard to the traveling public. Trucks that transport aggregate shall be legally licensed, in good working condition, and be equipped with the safety devices required by the United States Department of Transportation.

#### **4. CONSTRUCTION REQUIREMENTS**

- 4.1 Weather Limitations: Polymer modified emulsified asphalt shall not be applied when the pavement or air temperature is below 70° F, nor if the relative humidity is higher than 75%, nor if the wind velocity will prevent the uniform application of the bitumen or aggregate. The seal coat shall be applied when the pavement surface is dry, and when the weather is not foggy or rainy. The placing of polymer modified emulsified asphalt seal coat will not be allowed before May 1 or after September 30.
- 4.2 Preparation of Surface: Immediately before applying the polymer modified emulsified asphalt, any loose material, grease, and other petroleum distillates, dirt, clay or other objectionable organic or inorganic materials shall be removed from the surface to be sealed. Cleaning shall be performed by sweeping, flushing or other means necessary to remove all objectionable material from the pavement surface. Material removed from the surface shall not be mixed with cover aggregate. The surface should be clean and dry as approved by the Engineer.
- 4.2.1 The CONTRACTOR shall be responsible for furnishing and placing masking materials over all sewer, utility and traffic control device covers and inlet grates located in the roadways to be treated. All such materials shall be removed and disposed of after the surfacing material has cured.
- 4.3 Application of polymer modified emulsified asphalt: The polymer modified emulsified asphalt shall be applied by means of a pressure distributor in a slow, uniform, continuous spread, without missing or overlapping, at a truck speed consistent with the placement of the cover aggregate. Unless otherwise provided, the polymer modified emulsified asphalt shall be applied to one-half the width of the surface at a time, with the center lap of the application placed at the lane line of the traveled way and kept as narrow as practicable. The other side of the roadbed shall be left open to traffic. Polymer modified emulsified asphalt shall not be applied a greater distance than can be immediately covered by aggregate before the emulsion breaks or as approved by the Engineer.
- 4.3.1 The application rate of polymer modified emulsified asphalt for the chip seal shall be within the limits in Section 2.2. A minimum of 200 gallons (750 Liters) of polymer modified emulsified asphalt shall remain in the distributor tank at all times except for the last shot on the project. The emulsion should be uniformly applied through the pressure distributor at a temperature specified by the Engineer between 150° F (66° C) and 185° F (85° C). The temperature used for spraying at a given spray bar pressure should not be that which causes fogging when the asphalt material leaves the spray bar.
- 4.3.2 The angle of the spray nozzles and the height of the spray bar shall be set to provide a triple coverage fan pattern. The frame of the distributor shall be blocked or snubbed to the axle of the truck to maintain a constant spray bar height above the road surface during discharge of the load. An alternate method of maintaining constant spray bar height may be approved.

4.3.3 To ensure uniform application of the polymer modified emulsified asphalt at the beginning of each distributor load, a portion of the roadbed surface shall be covered with building paper. The area covered by the building paper shall be used at the starting point for each distributor load or each part of a load after a temporary delay. If the cut-off is not positive on the distributor, the use of paper shall be required at the end of each spread. For the next application, the leading edge of the paper is placed within 1/2 inch (13 mm) of the cut off line of the previously laid treatment. The paper shall be removed and disposed of in an approved manner. The distributor shall be moving forward at proper application speed when the spray bar is opened. A hand spray shall be used to apply emulsified asphalt necessary to touch up all spots missed by the distributor.

Any skipped areas or deficiencies shall be corrected. Junctions of spreads shall be carefully made to insure a smooth riding surface. The application of emulsified asphalt on adjacent portland cement or asphaltic concrete pavements, curbs, bridges, or any areas not specified to be sealed shall be avoided. The CONTRACTOR shall immediately clean up any such spills to the satisfaction of the Engineer.

4.3.4 If the seal coat is to be constructed on a bituminous surface in which the binder material was other than asphalt cement, the placing of seal coat will not be permitted until the underlying bituminous course has cured from 15 to 30 days, as directed by the Engineer.

4.3.5 From 4 to 6 inches (10 to 15 cm) of the centerline edge of the initially treated lane shall be left uncovered with aggregate to allow for an overlap of asphalt binder when the remaining half of the surface is treated. The CONTRACTOR will be required to remove the excess material occurring as a result of dual application of product along construction seams.

## **5. APPLICATION OF COVER AGGREGATE**

5.0 In general, the cover aggregate shall be placed within 30 seconds following the application of the emulsified asphalt. Operations shall not proceed in such a manner that the emulsified asphalt will be allowed to chill, set up, dry or otherwise impair retention of the cover aggregate. The cover aggregate shall be spread by means of a self-propelled mechanical spreader accurately measuring and uniformly spreading the aggregate.

5.1 The quantity of cover aggregate to be used per square yard shall be in accordance with Section 2 depending on the physical properties of the material used. The Engineer shall determine the exact rate. Aggregates shall be dry or surface damp (saturated Surface Dry-SSD) at the time of application. SSD shall be considered the condition when no visible film of water exists on the aggregate. The moisture content of the aggregate shall not exceed 2% by weight. The Engineer may require that the cover aggregate be moistened with water to enhance cohesive properties of the emulsified asphalt. Spreading shall be accomplished in a continuous manner,

without stopping between trucks, and in such manner that the tires of the trucks or aggregate spreader at no time contact the uncovered and newly applied emulsified asphalt. All portions of the surface not covered by mechanical spreaders shall be hand spotted so that the entire surface will be uniformly covered. Light hand brooming may be necessary to distribute excessive aggregate.

- 5.2 Rolling: Rolling shall begin immediately behind the spreader and shall consist of at least two complete coverages with the pneumatic-tire roller. Initial rolling shall consist of one complete coverage and shall begin immediately behind the spreader. Initial rolling shall be completed within 15 minutes the time that the aggregate was spread. Asphaltic emulsion and aggregate shall not be spread more than 1,000 feet (105 meters) ahead of completion of initial rolling operations. The second roller shall be used for the second complete coverage to smooth and adequately seat the aggregate. All rolling shall be completed the same day as the cover aggregate is applied. Rolling shall proceed in a longitudinal direction, beginning at the outer edges of the treated surface and working toward the center. Each pass by the roller shall overlap the previous pass by one-half the width of the front wheels.
- 5.3 Brooming: The County will perform all sweeping of loose aggregate after the embedded aggregate has set

## **6. TRAFFIC CONTROL**

- 6.0 Traffic Control and Safety: No traffic shall be permitted on the seal coat until all rolling has been completed. The Contractor shall control traffic for at least two hours after the completion of rolling. The CONTRACTOR'S supply trucks shall observe these traffic controls.
- 6.1 The beginning and end of the work zone shall have the following signs posted: "Flagger Ahead", "Fresh Oil", and "Road Construction Ahead". All side streets shall have "Road Construction Ahead" signs placed as directed by the Engineer and all signs shall conform to Section 1041 Construction Signs. All signs shall be installed on permanent holding frames, one foot above ground and shall remain in place at each job site until all sweeping operations are complete. Signs shall be safely installed so not to block vehicle or pedestrian line of sight and shall be resistant to wind gusts.
- 6.2 In accordance with Section 616 flaggers equipped with 2-way hand-held radios shall assist traffic and through the project in a manner that provides safety for the traveling public, workmen, and equipment while imposing minimal interruption of the work. When applying seal coat to arterial roads and intersections, lanes shall be coned off for safety and traffic control during daylight hours.
- 6.3 Safety precautions shall be used at all times during progress of the work. Workmen shall be equipped as required by the Manual on Uniform Traffic Control Devices.

**7. METHOD OF MEASUREMENT**

Chip and Seal shall be measured and paid for by the square yard.

**8. BASIS OF PAYMENT**

The amount of completed and accepted work, measured as provided above, shall be paid for at the contract unit price bid per square yard. Prices shall be considered full compensation for furnishing all labor, equipment, materials and insurance required for the project.

A copy of all tickets for material and oil shall be given to the County for proper accountability and billing procedures.

**COLE COUNTY  
PRESERVATION CHIP SEAL TREATMENT - 1/4" AGGREGATE**

SITE NO.	ROAD NAME	DESCRIPTION	LENGTH		WIDTH (FT)	AREA (SY)
			(MI)	(FT)		
1	HORSESHOE BEND RD	BALD HILL ROAD TO END OF ROAD	1.61	8484.00	22.00	20738.70
						35.00
						20738.70
2	BUSCH RD	ROUTE B TO END OF ROAD	0.40	2095.00	28.00	6517.80
						220.00
						220.00
3	GALENA RD	BITTERSWEET ROAD TO END OF ROAD	0.22	1185.00	28.00	3686.70
						156.00
						156.00
4	BITTERSWEET RD	ROUTE D TO END OF ROAD	0.62	3290.00	26.00	9504.40
						155.00
						155.00
5	HIGH POINT RD (SEC. 1)	KINGS CHAPEL ROAD TO HWY 179	1.36	7180.00	28.00	22337.80
						22337.80
6	HIGH POINT RD (SEC. 2)	BEGIN NARROW SECTION TO KINGS CHAPEL ROAD	0.99	5230.00	21.00	12203.30
						12203.30
7	FISCHER RD	ST. MICHAELS ROAD TO W. LOHMAN RD	1.97	10405.00	28.00	32371.10
						32371.10
8	VALLEY HIGH RD	ROCK RIDGE ROAD TO END OF ROAD	0.52	2732.00	22.00	6678.20
						140.00
						140.00
9	HONEY CREEK RD	HWY 54 TO TANNER BRIDGE ROAD	2.42	12780.00	22.00	31240.00
						58.00
						58.00
10	LOESCH RD	HERITAGE HWY TO MOREAU RIVER	2.42	12775.00	22.00	31227.80
						40.00
						40.00
11	VINTAGE LN	ROUTE C TO ROUTE C LOOP	0.56	2950.00	20.00	6555.60
						608.60
						608.60
12	S. COUNTRY CLUB DR.	ROUTE C TO ROUTE C LOOP	1.27	6710.00	20.00	14911.10
						1238.60
						1238.60
13	S. COUNTRY CLUB SPUR	ROUTE C TO S. COUNTRY CLUB DR.	0.02	125.00	24.00	333.30
						102.00
						102.00
			<b>14.383</b>	<b>75941.0</b>		<b>200,623.7</b>

# Cole County 2018 Perservation Chip Seal

