



PURCHASING DEPARTMENT

COLE COUNTY COMMISSION

311 East High Street, Room 200 | Jefferson City, MO 65101
Tel 573-634-9168 | Fax 573-634-8031
jprenger@colecouny.org

To: All Interested Parties
From: Jennifer Prenger, Cole County Purchasing Agent
Date: December 11, 2018
Re: Addendum One to Cole County Bid No. 2018-39: EMS Vehicle Fleet Maintenance & Repair Services

The following information hereby becomes part of the above-referenced Request for Bid and shall be fully considered in the preparation of your response.

1. Where would I be able to get a list of the vehicles included in this RFP? There could be different filters required.

Also, a tire rotation is specified in the RFP. Some, if not all of the ambulances I have seen are dual rear wheel vehicles. Is there a specific rotation pattern expected on these six tire vehicles? Are these six tire vehicles having the tires rotated every 5,000 miles currently or are they excluded?

A: Please see Attachment A, attached, for a listing of the EMS fleet vehicles.

Please see Attachment B, attached, for the six-tire rotation pattern that should be followed. The requirement for tire rotation every 5,000 miles was included in the scope of work on the previous bid. The County wants tires rotated at this frequency to ensure visual inspection of brakes.

The bid receipt date and time HAVE NOT BEEN CHANGED; submissions will be received until Thursday, January 17 at 3:30 p.m. The deadline for questions is Thursday, January 10, 2018.

I/We have received Addendum Number One to Bid No. 2018-39 and have fully considered the information provided in preparing a response.

Name of Company

Agent and Title

Authorized Signature

EMS VEHICLE FLEET
Cole County Bid No. 2018-39

2016	Chevy G-4500 Diesel Chassis with Conversion	1GB6GUCLXG1219916
2011	Chevy G-4500 Type III	1GB6G5CL9B1144494
2012	Chevy G-4500 Type III	1GB6G5CL4D1121756
2013	Chevy G-4500 Type III	1GB6G5CL5D1181982
2013	Chevy G-4500 Type III	1GB6G5CL6D1135013
2014	Chevy G-4500 Type III	1GB6G5CL3E1197034
2014	Chevy G-4500 Type III	1GB6G5CLOE1142010
2014	Chevy G-4500 Type III	1GB6G5CL2E1146530
2015	Chevy G-4500 Type III	1GB6G5CLOF1170620
2016	Chevy G-4500 Type III	1GB6GUCL3G1219692
2016	Chevy G-4500 Type III	1GB6GUCL4G1221905
2012	Chevy Tahoe 4WD	1GNSK2E01CR296631
2010	Ford Explorer	1FMEU7D89AUA55684
2017	Ford Explorer	1FM5K7B89HGC57975
2017	Ford Transit T-350 Van with Conversion	1FDBW2XM2HKA50776




The County anticipates the addition of Ford V-10's to the fleet

Courtesy of the Rubber Manufacturers Association

TIRE ROTATION PATTERNS

VEHICLES WITH DUAL REAR WHEELS TIRE ROTATION PATTERNS

Only Where Tires Are Same Type and Size



Do not include "Temporary Use Only" spare tire in any of these rotation patterns. If the vehicle owner has a regular tire as a spare and wishes to include it in the tire rotation process, the proper procedure is as follows:

Use one of the four tire rotation patterns, but insert the full-size spare in the right rear position, and place the tire which would have gone to the right rear position in the trunk as a new spare.